



Product Guide

& Retail Price List

February 1, 2023

Cable Techniques products are distributed worldwide by:

Redding Audio, LLC 101 N Plains Industrial Road Building 4 Wallingford, CT 06492
Phone: +1 (203) 269.1808 sales@reddingaudio.com

For Complete Product Details and Dealer Finder go to: cabletechniques.com

Product design, contents and pricing subject to change without notice



Visual Index by Product Category



LOW-PROFILE XLR CONNECTORS, KITS
& RAW CABLE | PAGES: 4-8



LOW-PROFILE "MINI XLR" & 3.5MM
TRS CONNECTORS | PAGES: 9-14



LOW-PROFILE CABLES | PAGES: 15-24



COILED CABLES & SLX MIC JUMPER
CABLES | PAGES: 25, 29




SENNHEISER CABLES, STANDARD CONNec-
TORS | PAGE: 31




STANDARD CONNECTORS | PAGE: 32



BATTERY BUD II PORTABLE DC DISTRo
SYSTEMS | PAGE: 34-35




DC POWER CABLES | PAGE: 36



BATTERY INPUT ADAPTORs
PAGE: 37



MICROPHONE CABLES | PAGE: 24-25
STAGE & STUDIO, 39-43




LECTROSONICS CABLES WITH STANDARD
CONNECTORS | PAGE: 27



SOUND DEVICES CABLES WITH STANDARD
CONNECTORS | PAGE: 28



MX-POWESLED | PAGE: 33



CABLES FOR CAMERA MOUNTED
EQUIPMENT | PAGE: 30



CUE3 | PAGE: 38



Product Index

PRODUCT	PAGE
Low-Profile Right Angle XLR Connectors	4-8
Raw Cable and Color Caps for Low-Profile Connectors	8
Low-Profile TA3, TA4 and TA5 Right Angle Mini XLR Connectors	9-13
Low-Profile Right Angle 3.5mm TRS Screw-Locking Connectors	14
Low-Profile XLR to XLR Cables	15-18
Low-Profile XLR to TA3F Cables	22
Low-Profile TA3F to XLR Cables	21
Low-Profile TA3F to TA3F Cables	20
Low-Profile TA5F to TA5F Cables	22
Low-Profile Lectrosonics Cables	23
Low-Profile Sennheiser Cables	23
Low-Profile SONY Cables	24
Low-Profile RODE Cables	24
Low-Profile Coiled Cables	25
Low-Profile Slim-line Microphone Cables	25
Low-Profile "Y" Stereo Splitter Cables	25
Standard Connectors	32
Microphone Cables, Mono	26
Digital Microphone Cables, Mono	26
Microphone Cables, Stereo	26
Microphone Cables, "Y" Stereo Splitter Cables	26
Lectrosonics Interface Cables	27
Sound Devices Interface Cables	28
Coiled Cables Boom Pole-to-Mixer, Camera-mounted wireless and microphones	29
Sennheiser Cables, Miscellaneous Cables	32
Timecode Cables for Tentacle Sync & Diety TC-1	32
Cables for equipment mounted on a camera	30
BATTERY BUD II - Portable DC Distribution System	34
BATTERY BUD II USB - Portable DC Distribution System with USB Dedicated Charging Port	35
DC Powering Cables and Battery Adaptors	36-37
MX-POWERSLED - Battery Eliminator" for Sound Devices MixPre-3/MixPre-6 recorders	33
Cue3 - Passive Volume Control and Line Tester	38
Stage & Studio Low-Profile Microphone Cables with Mogami W2549 cable	39-41
Stage & Studio Low-Profile Microphone/Patch Cables with Mogami W2893 Quad Cable	42-43

LOW-PROFILE RIGHT ANGLE XLR CONNECTORS

LOW-PROFILE RIGHT ANGLE XLR CONNECTORS - Interconnect cables with Low-Profile connectors considerably reduce the weight of your rig and allow for beautifully organized setups that benefit your workflow. Premium quality, efficient, rock-solid durable and ADJUSTABLE that can be assembled "DIY" as easy as standard connectors and repaired on the fly. Our LoPro connectors eliminate the need for the massive modification process of cutting down and drilling standard connectors. The XLR Caps accepts cable diameters up to 6.0mm. You can set the right angle outlet orientation within a 120° range to fine-tune your setups. Angle fine-tuning is quick & easy. Our custom caps are injection moulded of ABS thermoplastic for maximum impact resistance and toughness. The shells are a custom precision cast with a matte non-reflective black finish and gold contact pins.

Color Coded: The XLR connectors are available with 10 different Cap colors. The interchangeable XLR Color Caps can be ordered to customize your color profile at any time.



3.4mm OD Cap 6mm OD Cap



Choose 3.4mm or 6.0mm cable outlet cap allowing for a large variety of cable models & types



Choose "A" Shell or "B" Shell The position of the set screw taps are offset 90° on the B Shell accommodating all cable orientation needs

LOW-PROFILE RIGHT ANGLE XLR CONNECTORS

3-PIN, FEMALE & MALE, "A" SHELL ADJUSTABLE FROM 3 OR 9 O'CLOCK

Code	Item	Price
"A" Shell	Low-Profile Right Angle XLR 3-pin Female Connectors	
CT-AX3F-K	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Black cap	\$9.99
CT-AX3FL-K	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$9.99
CT-AX3F-R	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Red cap	\$9.99
CT-AX3FL-R	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Red cap	\$9.99
CT-AX3F-B	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Blue cap	\$9.99
CT-AX3FL-B	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Blue cap	\$9.99
CT-AX3F-G	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Green cap	\$9.99
CT-AX3FL-G	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Green cap	\$9.99
CT-AX3F-Y	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Yellow cap	\$9.99
CT-AX3FL-Y	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Yellow cap	\$9.99
CT-AX3F-N	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Orange cap	\$9.99
CT-AX3FL-N	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Orange cap	\$9.99
CT-AX3F-W	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, White cap	\$9.99
CT-AX3FL-W	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, White cap	\$9.99
CT-AX3F-A	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Gray cap	\$9.99
CT-AX3FL-A	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Gray cap	\$9.99
CT-AX3F-P	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Purple cap	\$9.99
CT-AX3FL-P	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Purple cap	\$9.99
CT-AX3F-S	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Brown cap	\$9.99
CT-AX3FL-S	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Brown cap	\$9.99
"A" Shell	Low-Profile Right Angle XLR 3-pin Male Connectors	
CT-AX3M-K	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Black cap	\$9.99
CT-AX3ML-K	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$9.99
CT-AX3M-R	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Red cap	\$9.99
CT-AX3ML-R	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Red cap	\$9.99
CT-AX3M-B	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Blue cap	\$9.99
CT-AX3ML-B	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Blue cap	\$9.99
CT-AX3M-G	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Green cap	\$9.99
CT-AX3ML-G	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Green cap	\$9.99
CT-AX3M-Y	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Yellow cap	\$9.99
CT-AX3ML-Y	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Yellow cap	\$9.99
CT-AX3M-N	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Orange cap	\$9.99
CT-AX3ML-N	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Orange cap	\$9.99
CT-AX3M-W	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, White cap	\$9.99
CT-AX3ML-W	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, White cap	\$9.99
CT-AX3M-A	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Gray cap	\$9.99
CT-AX3ML-A	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Gray cap	\$9.99
CT-AX3M-P	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Purple cap	\$9.99
CT-AX3ML-P	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Purple cap	\$9.99
CT-AX3M-S	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Brown cap	\$9.99
CT-AX3ML-S	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Brown cap	\$9.99

LOW-PROFILE RIGHT ANGLE XLR CONNECTORS

3-PIN, FEMALE & MALE, "B" SHELL ADJUSTABLE FROM 6 OR 12 O'CLOCK

Code	Item	Price
"B" Shell	Low-Profile Right Angle XLR 3-pin Female Connectors	
CT-BX3F-K	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Black cap	\$9.99
CT-BX3FL-K	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$9.99
CT-BX3F-R	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Red cap	\$9.99
CT-BX3FL-R	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Red cap	\$9.99
CT-BX3F-B	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Blue cap	\$9.99
CT-BX3FL-B	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Blue cap	\$9.99
CT-BX3F-G	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Green cap	\$9.99
CT-BX3FL-G	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Green cap	\$9.99
CT-BX3F-Y	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Yellow cap	\$9.99
CT-BX3FL-Y	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Yellow cap	\$9.99
CT-BX3F-N	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Orange cap	\$9.99
CT-BX3FL-N	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Orange cap	\$9.99
CT-BX3F-W	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, White cap	\$9.99
CT-BX3FL-W	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, White cap	\$9.99
CT-BX3F-A	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Gray cap	\$9.99
CT-BX3FL-A	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Gray cap	\$9.99
CT-BX3F-P	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Purple cap	\$9.99
CT-BX3FL-P	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Purple cap	\$9.99
CT-BX3F-S	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Brown cap	\$9.99
CT-BX3FL-S	Low-Profile right angle XLR 3-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Brown cap	\$9.99
"B" Shell	Low-Profile Right Angle XLR 3-pin Male Connectors	
CT-BX3M-K	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Black cap	\$9.99
CT-BX3ML-K	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$9.99
CT-BX3M-R	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Red cap	\$9.99
CT-BX3ML-R	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Red cap	\$9.99
CT-BX3M-B	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Blue cap	\$9.99
CT-BX3ML-B	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Blue cap	\$9.99
CT-BX3M-G	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Green cap	\$9.99
CT-BX3ML-G	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Green cap	\$9.99
CT-BX3M-Y	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Yellow cap	\$9.99
CT-BX3ML-Y	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Yellow cap	\$9.99
CT-BX3M-N	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Orange cap	\$9.99
CT-BX3ML-N	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Orange cap	\$9.99
CT-BX3M-W	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, White cap	\$9.99
CT-BX3ML-W	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, White cap	\$9.99
CT-BX3M-A	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Gray cap	\$9.99
CT-BX3ML-A	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Gray cap	\$9.99
CT-BX3M-P	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Purple cap	\$9.99
CT-BX3ML-P	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Purple cap	\$9.99
CT-BX3M-S	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Brown cap	\$9.99
CT-BX3ML-S	Low-Profile right angle XLR 3-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Brown cap	\$9.99

LOW-PROFILE RIGHT ANGLE XLR CONNECTORS



4-PIN & 5-PIN, FEMALE & MALE



Code	Item	Price
"A" Shell	Low-Profile Right Angle XLR 4-pin Female & Male Connectors	
CT-AX4F-K	Low-Profile right angle XLR 4-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.8mm cable OD, Black cap	\$12.99
CT-AX4FL-K	Low-Profile right angle XLR 4-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$12.99
CT-AX4M-K	Low-Profile right angle XLR 4-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.8mm cable OD, Black cap	\$12.99
CT-AX4ML-K	Low-Profile right angle XLR 4-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$12.99
"B" Shell		
CT-BX4F-K	Low-Profile right angle XLR 4-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.8mm cable OD, Black cap	\$12.99
CT-BX4FL-K	Low-Profile right angle XLR 4-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$12.99
CT-BX4M-K	Low-Profile right angle XLR 4-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.8mm cable OD, Black cap	\$12.99
CT-BX4ML-K	Low-Profile right angle XLR 4-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$12.99
"A" Shell	Low-Profile Right Angle XLR 5-pin Female & Male Connectors	
CT-AX5F-K	Low-Profile right angle XLR 5-pin Female Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Black cap	\$12.99
CT-AX5FL-K	Low-Profile right angle XLR 5-pin Female Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$12.99
CT-AX5M-K	Low-Profile right angle XLR 5-pin Male Connector, Adjustable from 3 or 9 o'clock, up to 3.4mm cable OD, Black cap	\$12.99
CT-AX5ML-K	Low-Profile right angle XLR 5-pin Male Connector, Adjustable from 3 or 9 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$12.99
"B" Shell		
CT-BX5F-K	Low-Profile right angle XLR 5-pin Female Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Black cap	\$12.99
CT-BX5FL-K	Low-Profile right angle XLR 5-pin Female Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$12.99
CT-BX5M-K	Low-Profile right angle XLR 5-pin Male Connector, Adjustable from 6 or 12 o'clock, up to 3.4mm cable OD, Black cap	\$12.99
CT-BX5ML-K	Low-Profile right angle XLR 5-pin Male Connector, Adjustable from 6 or 12 o'clock, 3.8mm to 6.0mm outlet, Black cap	\$12.99

LOW-PROFILE XLR CONNECTORS

COLOR CAPS AND RAW BULK CABLE



Code	Item	Price
	XLR Color Caps only, Standard Outlet 3.4mm	
CT-LPXCAP-10-SET	Low-Profile <u>Standard</u> Cap Set for Cable Techniques Low-Profile XLR connectors, Outlet for up to 3.4mm OD cable, Incl. (2) each Red, Blue, Yellow, Green, Orange, White, Black, Grey, Purple, Brown	\$18.95
CT-LPXCAP-K	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, Black	\$0.99
CT-LPXCAP-R	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, Red	\$0.99
CT-LPXCAP-B	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, Blue	\$0.99
CT-LPXCAP-Y	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, Yellow	\$0.99
CT-LPXCAP-G	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, Green	\$0.99
CT-LPXCAP-N	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, Orange	\$0.99
CT-LPXCAP-W	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, White	\$0.99
CT-LPXCAP-A	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, Gray	\$0.99
CT-LPXCAP-P	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, Purple	\$0.99
CT-LPXCAP-S	Low-Profile Cap, for all CT Low-Profile XLR Connectors, Outlet for up to 3.4mm OD cable, Brown	\$0.99
	XLR Color Caps only, Large Outlet 6.0mm	
CT-LPXCAP-LSET	Low-Profile <u>Large</u> Cap Set for Cable Techniques Low-Profile XLR connectors, Outlet for 3.8mm to 6.0mm OD cable, Incl. (2) each Red, Blue, Yellow, Green, Orange, White, Black, Grey, Purple, Brown	\$18.95
CT-LPXCAP-LK	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, Black	\$0.99
CT-LPXCAP-LR	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, Red	\$0.99
CT-LPXCAP-LB	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, Blue	\$0.99
CT-LPXCAP-LY	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, Yellow	\$0.99
CT-LPXCAP-LG	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, Green	\$0.99
CT-LPXCAP-LN	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, Orange	\$0.99
CT-LPXCAP-LW	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, White	\$0.99
CT-LPXCAP-LA	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, Gray	\$0.99
CT-LPXCAP-LP	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, Purple	\$0.99
CT-LPXCAP-LS	Low-Profile Cap, Large, for all CT Low-Profile XLR Connectors, Outlet for up to 6.0mm OD cable, Brown	\$0.99
	Premium Raw Cable for DIY projects with Low-Profile XLR and TA Connectors, Per Meter (39")	
	<i>Premium quality cable that is crush resistant, tear-resistant, cold-resistant and easy to wind</i>	
CT-RAWCB-272	Raw cable for LPXLR 3-pin and LPS-TA3 connectors, 2.7mm OD, Shield + 2 conductors, PUR jacket material is crush resistant, tear-resistant, cold-resistant, per meter (39")	\$10.00
CT-RAWCB-322	Raw cable for LPXLR 3-pin and LPTA3 connectors, 3.2mm OD, Shield + 2 conductors, PUR jacket material is crush resistant, tear-resistant, cold-resistant, per meter (39")	\$10.00
CT-RAWCB-382B	Premium Raw cable for Microphone & DC cable, Blue, 3.8mm OD, Shield + 2 conductors, per meter (39"), PUR jacket material is crush resistant, tear-resistant, cold-resistant	\$10.00
CT-RAWCB-284	Raw cable for LPS-TA5 and LPXLR-5 connectors, 2.8mm OD, Shield + 4 conductors, per meter, PUR jacket material is crush resistant, tear-resistant, cold-resistant, per meter (39")	\$15.00

LPS SERIES LOW-PROFILE RIGHT ANGLE FEMALE TA3F / TA4F / TA5F CONNECTORS

MULTI-POSITION OUTLET FROM 3 O'CLOCK OR 9 O'CLOCK



LPS LOW-PROFILE FEMALE TA "MINI XLR CONNECTORS" - LPS Series LoPro TA connectors are designed for cable diameters up to about 3.2mm or 5.0mm OD. We offer TA3F, TA4F and TA5F versions of the connector. The outlet can be set to either Right or Left of the release pin with a 60° adjustment swing to fine-tune the angle. Similar to our XLR's, LPS connectors have a fitted moulded ABS color cap held firmly in place with mini grub screws for lasting durability and the ability to disassemble and repair. There are many compatible cable options for LPS connectors including Mogami, Belden 1804A and our CT-RAW cable options.

Color Coded: The TA3F, TA4F & TA5F connectors can be color-coded with 10 different cap colors or Color Polydomes could be used to color-code LPS TA connectors with Black caps.



Code	Item	Price
TA3F	LPS Series Low-Profile TA3F [3-pin Mini XLR]	
CT-LPS-TA3-K	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Black cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-K	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Black cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-R	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Red cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-R	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Red cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-B	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Blue cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-B	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Blue cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-G	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Green cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-G	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Green cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-Y	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Yellow cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-Y	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Yellow cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-N	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Orange cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-N	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Orange cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-W	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, White cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-W	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large White cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-A	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Gray cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-A	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Gray cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-P	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Purple cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-P	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Purple cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-S	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Brown cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-3FL-S	Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Brown cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA3-180-K	Low-Profile TA3F 180 "Mini XLR" 3-pin Female Connector, Adjustable from 6 or 12 o'clock, Black cap, for up to 3.2mm OD cable	\$9.95
TA4F	LPS Series Low-Profile TA4F [4-pin Mini XLR]	
CT-LPS-TA4-K	Low-Profile TA4F "Mini XLR" 4-pin Female Connector, Adjustable from 3 or 9 o'clock, Black cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-4FL-K	Low-Profile TA4F "Mini XLR" 4-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Black cap, Outlet for up to 5.0mm OD cable	\$9.95

LPS SERIES LOW-PROFILE RIGHT ANGLE FEMALE TA "Mini XLR" CONNECTORS

MULTI-POSITION OUTLET FROM 3 O'CLOCK OR 9 O'CLOCK

Code	Item	Price
TA5F	<i>LPS Series Low-Profile Right Angle TA5F [5-pin Mini XLR]</i>	
CT-LPS-TA5-K	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Black cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-K	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Black cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA5-R	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Red cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-R	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Red cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA5-B	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Blue cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-B	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Blue cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA5-G	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Green cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-G	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Green cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA5-Y	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Yellow cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-Y	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Yellow cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA5-N	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Orange cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-N	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Orange cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA5-W	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, White cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-W	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large White cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA5-A	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Gray cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-A	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Gray cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA5-P	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Purple cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-P	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Purple cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-TA5-S	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Brown cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-5FL-S	Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable from 3 or 9 o'clock, Large Brown cap, Outlet for up to 5.0mm OD cable	\$9.95

LPS SERIES LOW-PROFILE RIGHT ANGLE MALE TA "MINI XLR" CONNECTORS

MULTI-POSITION OUTLET FROM 6 O'CLOCK OR 12 O'CLOCK



LPS LOW-PROFILE MALE TA "MINI XLR CONNECTORS" - LPS Series LoPro TA connectors are designed for cable diameters up to about 3.2mm or 5.0mm OD. We offer TA3M, TA4M and TA5M versions of the connector. The outlet can be set at either 6 o'clock or 12 o'clock with a 60° adjustment swing to fine-tune the angle. Similar to our XLR's, LPS connectors have a fitted moulded ABS color cap held firmly in place with mini grub screws for lasting durability and the ability to disassemble and repair. There are many compatible cable options for LPS connectors including Mogami, Belden 1804A and our CT-RAW cable options.

Color Coded: The TA3M, TA4M & TA5M connectors can be color-coded with 10 different cap colors or Color Polydomes could be used to color-code LPS TA connectors with Black caps.



Code	Item	Price
TA3M	LPS Series Low-Profile Right Angle TA3M [3-pin MALE Mini XLR]	
CT-LPS-3M-K	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Black cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-K	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Black cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-3M-R	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Red cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-R	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Red cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-3M-B	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Blue cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-B	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Blue cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-3M-G	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Green cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-G	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Green cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-3M-Y	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Yellow cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-Y	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Yellow cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-3M-N	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Orange cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-N	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Orange cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-3M-W	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, White cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-W	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large White cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-3M-A	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Gray cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-A	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Gray cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-3M-P	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Purple cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-P	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Purple cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-3M-S	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Brown cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-3ML-S	Low-Profile TA3M "Mini XLR" 3-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Brown cap, for up to 5.0mm OD cable	\$9.95
TA4M	LPS Series Low-Profile Right Angle TA4M [4-pin Mini XLR]	
CT-LPS-4M-K	Low-Profile TA4M "Mini XLR" 4-pin Male Connector, Adjustable cable outlet from 6 o'clock, Black cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-K	Low-Profile TA4M "Mini XLR" 4-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Black cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-4M-R	Low-Profile TA4M "Mini XLR" 4-pin Male Connector, Adjustable cable outlet from 6 o'clock, Red cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-R	Low-Profile TA4M "Mini XLR" 4-pin Male Connector, Adjustable cable outlet from 6 o'clock, Large Red cap, for up to 5.0mm OD cable	\$9.95

LPS SERIES LOW-PROFILE RIGHT ANGLE MALE TA “Mini XLR” CONNECTORS

MULTI-POSITION OUTLET FROM 6 O’CLOCK OR 12 O’CLOCK

Code	Item	Price
TA4M cont.	<i>LPS Series Low-Profile Right Angle TA4M [4-pin MALE Mini XLR]</i>	
CT-LPS-4M-B	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Blue cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-B	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Blue cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-4M-G	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Green cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-G	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Green cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-4M-Y	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Yellow cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-Y	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Yellow cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-4M-N	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Orange cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-N	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Orange cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-4M-W	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, White cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-W	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large White cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-4M-A	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Gray cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-A	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Gray cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-4M-P	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Purple cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-P	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Purple cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-4M-S	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Brown cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-4ML-S	Low-Profile TA4M “Mini XLR” 4-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Brown cap, for up to 5.0mm OD cable	\$9.95
TA5M	<i>LPS Series Low-Profile Right Angle TA5M [5-pin MALE Mini XLR]</i>	
CT-LPS-5M-K	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Black cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-K	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Black cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-5M-R	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Red cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-R	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Red cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-5M-B	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Blue cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-B	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Blue cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-5M-G	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Green cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-G	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Green cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-5M-Y	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Yellow cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-Y	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Yellow cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-5M-N	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Orange cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-N	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Orange cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-5M-W	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, White cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-W	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large White cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-5M-A	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Gray cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-A	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Gray cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-5M-P	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Purple cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-P	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Purple cap, for up to 5.0mm OD cable	\$9.95
CT-LPS-5M-S	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Brown cap, for up to 3.2mm OD cable	\$9.95
CT-LPS-5ML-S	Low-Profile TA5M “Mini XLR” 5-pin Male Connector, Adjustable cable outlet from 6 o’clock, Large Brown cap, for up to 5.0mm OD cable	\$9.95

Low-Profile TA “MINI XLR” CONNECTORS

COLOR POLYDOMES & COLOR CAPS



Code	Item	Price
	Color Polydome Set for Low-Profile TA Connectors	
CT-LPPD-10SET	Polydome Set, Incl. (2) each Black, Red, Blue, Green, Yellow, Orange, White, Grey, Purple, Brown for Low-Profile TA Mini XLR and our LPS-T35 TRS Locking connectors	\$10.00
	Color Caps for LPS Series TA3, TA4, TA5 & 3.5mm TRS Connectors, Standard Outlet up to 3.2mm	
CT-LPS-CAP-10SET	LPS Low-Profile TA Cap Set, Incl. (2) each Red, Blue, Yellow, Green, Orange, White, Black, Grey, Purple, Brown, Outlet for up to 3.2mm OD cable, for LPS Series Low-Profile TA Mini XLR and our 3.5mm TRS Locking connectors	\$18.95
CT-LPS-CAP-K	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, Black	\$0.99
CT-LPS-CAP-R	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, Red	\$0.99
CT-LPS-CAP-B	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, Blue	\$0.99
CT-LPS-CAP-Y	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, Green	\$0.99
CT-LPS-CAP-G	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, Yellow	\$0.99
CT-LPS-CAP-N	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, Orange	\$0.99
CT-LPS-CAP-W	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, White	\$0.99
CT-LPS-CAP-A	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, Gray	\$0.99
CT-LPS-CAP-P	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, Purple	\$0.99
CT-LPS-CAP-S	LPS Low-Profile TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 3.2mm OD cable, Brown	\$0.99
	Color Caps for LPS Series TA3, TA4, TA5 & 3.5mm TRS Connectors, Large Outlet up to 5.0mm	
CT-LPS-CP-LSET	LPS Low-Profile Large TA Cap Set, Incl. (2) each Red, Blue, Yellow, Green, Orange, White, Black, Grey, Purple, Brown, Outlet for up to 5.0mm OD cable, for LPS Series Low-Profile TA Mini XLR and our LPS-T35 TRS Locking connectors	\$18.95
CT-LPS-CP-LK	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, Black	\$0.99
CT-LPS-CP-LR	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, Red	\$0.99
CT-LPS-CP-LB	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, Blue	\$0.99
CT-LPS-CP-LG	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, Green	\$0.99
CT-LPS-CP-LY	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, Yellow	\$0.99
CT-LPS-CP-LN	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, Orange	\$0.99
CT-LPS-CP-LW	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, White	\$0.99
CT-LPS-CP-LA	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, Gray	\$0.99
CT-LPS-CP-LP	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, Purple	\$0.99
CT-LPS-CP-LS	LPS Low-Profile Large TA Cap, for LPS Low-Profile TA3, TA4, TA5, LPS-T35 TRS Connectors, Outlet for up to 5.0mm OD cable, Brown	\$0.99



LOW-PROFILE RIGHT ANGLE 3.5MM SCREW-LOCKING CONNECTORS



Low-Profile 3.5mm RIGHT ANGLE TRS CONNECTORS - Low-Profile 3.5mm TRS Screw-Locking connectors are designed for use with Sennheiser G4/G3 & 2000, SONY wireless etc. Accepts cable diameters up to about 3.2mm or 5.0mm OD with the Large cap. The same fitted moulded ABS color caps used with our Mini XLR's are held firmly in place with mini grub screws for maximum impact resistance and the ability to disassemble and repair. The CT-MIN-35PT Moulded assembly version has a 39" attached PVC cable that is 2 leads plus Shield and works great with Sennheiser wireless, Diety wireless and others and is extremely low-profile.

Color Coded: The LPS-T35 connectors can be color-coded with 10 different cap colors or Color Polydomes with Black caps.



Code	Item	Price
	<i>Mini Low-Profile right angle 3.5mm TRS Locking Connector Assembly with 39" moulded cable</i>	
CT-MIN-35PT	3.5mm TRS Mini Moulded Locking Right Angle Connector Moulded Assembly with 39" cable, 2 wires + Shield, for Sennheiser G4/G3 etc.	\$ 14.95
	<i>Low-Profile right angle 3.5mm TRS Locking Connectors</i>	
CT-LPS-T35-K	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Black cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-K	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large Black cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-T35-R	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Red cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-R	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large Red cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-T35-B	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Blue cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-B	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large Blue cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-T35-G	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Green cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-G	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large Green cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-T35-Y	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Yellow cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-Y	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large Yellow cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-T35-N	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Orange cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-N	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large Orange cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-T35-W	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., White cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-W	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large White cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-T35-A	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Gray cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-A	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large Gray cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-T35-P	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Purple cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-P	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large Purple cap, Outlet for up to 5.0mm OD cable	\$9.95
CT-LPS-T35-S	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Brown cap, Outlet for up to 3.2mm OD cable	\$9.95
CT-LPS-T35L-S	Low-Profile 3.5mm TRS Locking Connector, for Sennheiser G4/G3/2000, Sony etc., Large Brown cap, Outlet for up to 5.0mm OD cable	\$9.95

LOW-PROFILE CABLES



LOW-PROFILE CABLES - Interconnect cables with Low-Profile connectors considerably reduce the weight of your rig and allow for beautifully organized setups. Our Low-Profile connectors can be disassembled and repaired on the fly. You can adjust the XLR and TA cable outlets to suit your exact needs. The PUR jacket material used on most of our LoPro cables is crush resistant, tear-resistant and cold-resistant.

Reduce the load: Our Low-Profile cables can be up to 40% lighter than standard XLR cables while significantly reducing the profile of the interconnect panels.

Color Coded: The connectors are available with 10 different color identifiers. Interchangeable Color Caps and TA color Polydomes can be ordered to customize your color profile at any time.



LOW-PROFILE CABLES

XLR TO XLR, RIGHT ANGLE ON BOTH ENDS, ADJUSTABLE



Code	Item	Price
Low-Profile right angle XLR 3-pin Female to XLR 3-pin Male Cables		
CT-LPXR-10K	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Black Caps	\$39.95
CT-LPXR-10R	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Red Caps	\$39.95
CT-LPXR-10B	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Blue Caps	\$39.95
CT-LPXR-10G	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Green Caps	\$39.95
CT-LPXR-10Y	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Yellow Caps	\$39.95
CT-LPXR-10N	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Orange Caps	\$39.95
CT-LPXR-10W	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, White Caps	\$39.95
CT-LPXR-10A	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Gray Caps	\$39.95
CT-LPXR-10P	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Purple Caps	\$39.95
CT-LPXR-10S	10" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Brown Caps	\$39.95
CT-LPXR-18K	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Black Caps	\$40.95
CT-LPXR-18R	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Red Caps	\$40.95
CT-LPXR-18B	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Blue Caps	\$40.95
CT-LPXR-18G	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Green Caps	\$40.95
CT-LPXR-18Y	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Yellow Caps	\$40.95
CT-LPXR-18N	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Orange Caps	\$40.95
CT-LPXR-18W	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, White Caps	\$40.95
CT-LPXR-18A	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Gray Caps	\$40.95
CT-LPXR-18P	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Purple Caps	\$40.95
CT-LPXR-18S	18" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Brown Caps	\$40.95
CT-LPXR-24K	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Black Caps	\$42.95
CT-LPXR-24R	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Red Caps	\$42.95
CT-LPXR-24B	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Blue Caps	\$42.95
CT-LPXR-24G	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Green Caps	\$42.95
CT-LPXR-24Y	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Yellow Caps	\$42.95
CT-LPXR-24N	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Orange Caps	\$42.95
CT-LPXR-24W	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, White Caps	\$42.95
CT-LPXR-24A	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Gray Caps	\$42.95
CT-LPXR-24P	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Purple Caps	\$42.95
CT-LPXR-24S	24" Low-Profile XLR 3-pin cable, Multi-position right angle connectors adjustable from 3 o'clock or 9 o'clock, 3.2mm dia. cable, Brown Caps	\$42.95

Low-Profile XLR Cables

XLR to XLR, RIGHT ANGLE ON MALE END ONLY, ADJUSTABLE



Code	Item	Price
	Straight XLR-3F to Low-Profile XLR-3M Cables, Right Angle on Male side only	
CT-LPX-SR-12K	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Black Cap/Ring	\$39.95
CT-LPX-SR-12R	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Red Cap/Ring	\$39.95
CT-LPX-SR-12B	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Blue Cap/Ring	\$39.95
CT-LPX-SR-12G	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Green Cap/Ring	\$39.95
CT-LPX-SR-12Y	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Yellow Cap/Ring	\$39.95
CT-LPX-SR-12N	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Orange Cap/Ring	\$39.95
CT-LPX-SR-12W	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, White Cap/Ring	\$39.95
CT-LPX-SR-12A	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Gray Cap/Ring	\$39.95
CT-LPX-SR-12P	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Purple Cap/Ring	\$39.95
CT-LPX-SR-12S	12" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Brown Cap/Ring	\$39.95
CT-LPX-SR-24K	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Black Cap/Ring	\$39.95
CT-LPX-SR-24R	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Red Cap/Ring	\$39.95
CT-LPX-SR-24B	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Blue Cap/Ring	\$39.95
CT-LPX-SR-24G	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Green Cap/Ring	\$39.95
CT-LPX-SR-24Y	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Yellow Cap/Ring	\$39.95
CT-LPX-SR-24N	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Orange Cap/Ring	\$39.95
CT-LPX-SR-24W	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, White Cap/Ring	\$39.95
CT-LPX-SR-24A	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Gray Cap/Ring	\$39.95
CT-LPX-SR-24P	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Purple Cap/Ring	\$39.95
CT-LPX-SR-24S	24" Straight XLR-3F to Low-Profile XLR-3M cable, Multi-position AX3M right angle male connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Brown Cap/Ring	\$39.95

Low-Profile XLR Cables

XLR TO XLR, RIGHT ANGLE ON FEMALE END ONLY, ADJUSTABLE



Code	Item	Price
	Straight XLR-3F to Low-Profile XLR-3M Cables, Right Angle on Male side only	
CT-LPX-RS-12K	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Black Cap/Ring	\$39.95
CT-LPX-RS-12R	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Red Cap/Ring	\$39.95
CT-LPX-RS-12B	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Blue Cap/Ring	\$39.95
CT-LPX-RS-12G	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Green Cap/Ring	\$39.95
CT-LPX-RS-12Y	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Yellow Cap/Ring	\$39.95
CT-LPX-RS-12N	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Orange Cap/Ring	\$39.95
CT-LPX-RS-12W	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, White Cap/Ring	\$39.95
CT-LPX-RS-12A	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Gray Cap/Ring	\$39.95
CT-LPX-RS-12P	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Purple Cap/Ring	\$39.95
CT-LPX-RS-12S	12" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Brown Cap/Ring	\$39.95
CT-LPX-RS-24K	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Black Cap/Ring	\$39.95
CT-LPX-RS-24R	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Red Cap/Ring	\$39.95
CT-LPX-RS-24B	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Blue Cap/Ring	\$39.95
CT-LPX-RS-24G	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Green Cap/Ring	\$39.95
CT-LPX-RS-24Y	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Yellow Cap/Ring	\$39.95
CT-LPX-RS-24N	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Orange Cap/Ring	\$39.95
CT-LPX-RS-24W	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, White Cap/Ring	\$39.95
CT-LPX-RS-24A	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Gray Cap/Ring	\$39.95
CT-LPX-RS-24P	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Purple Cap/Ring	\$39.95
CT-LPX-RS-24S	24" Low-Profile XLR-3F to Straight XLR-3M cable, Multi-position AX3F right angle female connector adjustable from 3 o'clock or 9 o'clock, 3.2mm diam. cable, Brown Cap/Ring	\$39.95


LPS Low-Profile Cables

TA3F TO TA3F, XLR TO TA3F & TA3F TO XLR, ADJUSTABLE

LPS Low-Profile Cables - Interconnect cables with Low-Profile connectors considerably reduce the weight of your rig and allow for beautifully organized setups. Our Low-Profile connectors can be disassembled and repaired on the fly. You can adjust the XLR and TA cable outlets to suit your exact needs. The PUR jacket material used on most of our LoPro cables is crush resistant, tear-resistant and cold-resistant. *LPS Series cables will have at least one LPS TA Female mini-XLR on the cable.*

Reduce the load: Our Low-Profile cables can be up to 40% lighter than standard XLR cables while significantly reducing the profile of the interconnect panels.

Color Coded: The connectors are available with 10 different color identifiers. Interchangeable Color Caps and TA Polydomes can be ordered to customize your color profile at any time.



LPS33



LPS-3TMX



LPS-FX3T

LPS LOW-PROFILE CABLES

Code	Item	Price
	LPS Series Low-Profile Cables feature Slim and Ultra-durable PUR cable and adjustable outlet orientation	
TA3F to TA3F	<i>LPS Series Low-Profile Cables, TA3F to TA3F, Use with Lectrosonics SR to Sound Devices 6-Series, 7-Series etc.</i>	
CT-LPS33-12K	12" Low-Profile LPS TA3F to TA3F cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12R	12" Low-Profile LPS TA3F to TA3F cable, Red Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12B	12" Low-Profile LPS TA3F to TA3F cable, Blue Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12G	12" Low-Profile LPS TA3F to TA3F cable, Green Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12Y	12" Low-Profile LPS TA3F to TA3F cable, Yellow Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12N	12" Low-Profile LPS TA3F to TA3F cable, Orange Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12W	12" Low-Profile LPS TA3F to TA3F cable, White Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12A	12" Low-Profile LPS TA3F to TA3F cable, Gray Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12P	12" Low-Profile LPS TA3F to TA3F cable, Purple Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12S	12" Low-Profile LPS TA3F to TA3F cable, Brown Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18K	18" Low-Profile LPS TA3F to TA3F cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18R	18" Low-Profile LPS TA3F to TA3F cable, Red Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18B	18" Low-Profile LPS TA3F to TA3F cable, Blue Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18G	18" Low-Profile LPS TA3F to TA3F cable, Green Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18Y	18" Low-Profile LPS TA3F to TA3F cable, Yellow Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18N	18" Low-Profile LPS TA3F to TA3F cable, Orange Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18W	18" Low-Profile LPS TA3F to TA3F cable, White Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18A	18" Low-Profile LPS TA3F to TA3F cable, Gray Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18P	18" Low-Profile LPS TA3F to TA3F cable, Purple Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18S	18" Low-Profile LPS TA3F to TA3F cable, Brown Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-24K	24" Low-Profile LPS TA3F to TA3F cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24R	24" Low-Profile LPS TA3F to TA3F cable, Red Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24B	24" Low-Profile LPS TA3F to TA3F cable, Blue Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24G	24 Low-Profile LPS TA3F to TA3F cable, Green Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24Y	24" Low-Profile LPS TA3F to TA3F cable, Yellow Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24N	24" Low-Profile LPS TA3F to TA3F cable, Orange Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24W	24" Low-Profile LPS TA3F to TA3F cable, White Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24A	24" Low-Profile LPS TA3F to TA3F cable, Gray Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24P	24" Low-Profile LPS TA3F to TA3F cable, Purple Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24S	24" Low-Profile LPS TA3F to TA3F cable, Brown Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
	<i>Continued on next page</i>	


LPS Low-Profile Cables

Code	Item	Price
	LPS Series Low-Profile Cables feature Slim and Ultra-durable PUR cable and adjustable outlet orientation	
TA3F to XLR-3M	<i>LPS Series Low-Profile Cables, TA3F to XLR-3M, Use with Lectro SR or DCR822 to Sound Devices, Zaxcom, Zoom, etc.</i>	
CT-LPS-3TMX-12K	12" Low-Profile LPS TA3F to LPXLR-3M cable, Black Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12R	12" Low-Profile LPS TA3F to LPXLR-3M cable, Red Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12B	12" Low-Profile LPS TA3F to LPXLR-3M cable, Blue Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12G	12" Low-Profile LPS TA3F to LPXLR-3M cable, Green Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12Y	12" Low-Profile LPS TA3F to LPXLR-3M cable, Yellow Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12N	12" Low-Profile LPS TA3F to LPXLR-3M cable, Orange Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12W	12" Low-Profile LPS TA3F to LPXLR-3M cable, White Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12A	12" Low-Profile LPS TA3F to LPXLR-3M cable, Gray Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12P	12" Low-Profile LPS TA3F to LPXLR-3M cable, Purple Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12S	12" Low-Profile LPS TA3F to LPXLR-3M cable, Brown Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18K	18" Low-Profile LPS TA3F to LPXLR-3M cable, Black Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18R	18" Low-Profile LPS TA3F to LPXLR-3M cable, Red Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18B	18" Low-Profile LPS TA3F to LPXLR-3M cable, Blue Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18G	18" Low-Profile LPS TA3F to LPXLR-3M cable, Green Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18Y	18" Low-Profile LPS TA3F to LPXLR-3M cable, Yellow Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18N	18" Low-Profile LPS TA3F to LPXLR-3M cable, Orange Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18W	18" Low-Profile LPS TA3F to LPXLR-3M cable, White Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18A	18" Low-Profile LPS TA3F to LPXLR-3M cable, Gray Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18P	18" Low-Profile LPS TA3F to LPXLR-3M cable, Purple Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18S	18" Low-Profile LPS TA3F to LPXLR-3M cable, Brown Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-24K	24" Low-Profile LPS TA3F to LPXLR-3M cable, Black Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24R	24" Low-Profile LPS TA3F to LPXLR-3M cable, Red Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24B	24" Low-Profile LPS TA3F to LPXLR-3M cable, Blue Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24G	24" Low-Profile LPS TA3F to LPXLR-3M cable, Green Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24Y	24" Low-Profile LPS TA3F to LPXLR-3M cable, Yellow Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24N	24" Low-Profile LPS TA3F to LPXLR-3M cable, Orange Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24W	24" Low-Profile LPS TA3F to LPXLR-3M cable, White Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24A	24" Low-Profile LPS TA3F to LPXLR-3M cable, Gray Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24P	24" Low-Profile LPS TA3F to LPXLR-3M cable, Purple Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24S	24" Low-Profile LPS TA3F to LPXLR-3M cable, Brown Caps, Adjustable 90° Side-exit cable	\$42.95
	<i>Continued on next page</i>	

LPS Low-PROFILE CABLES

Code	Item	Price
	LPS Series Low-Profile Cables feature Slim and Ultra-durable PUR cable and adjustable outlet orientation	
<i>XLR-3F to TA3F</i>	<i>LPS Series Low-Profile Cables, XLR-3F to TA3F, Use with Lectrosonics UCR to Sound Devices 6-Series, 7-Series etc.</i>	
CT-LPS-FX3T-12K	12" Low-Profile LPXLR-3F to LPS TA3F cable, Black Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12R	12" Low-Profile LPXLR-3F to LPS TA3F cable, Red Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12B	12" Low-Profile LPXLR-3F to LPS TA3F cable, Blue Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12G	12" Low-Profile LPXLR-3F to LPS TA3F cable, Green Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12Y	12" Low-Profile LPXLR-3F to LPS TA3F cable, Yellow Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12N	12" Low-Profile LPXLR-3F to LPS TA3F cable, Orange Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12W	12" Low-Profile LPXLR-3F to LPS TA3F cable, White Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12A	12" Low-Profile LPXLR-3F to LPS TA3F cable, Gray Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12P	12" Low-Profile LPXLR-3F to LPS TA3F cable, Purple Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12S	12" Low-Profile LPXLR-3F to LPS TA3F cable, Brown Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18K	18" Low-Profile LPXLR-3F to LPS TA3F cable, Black Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18R	18" Low-Profile LPXLR-3F to LPS TA3F cable, Red Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18B	18" Low-Profile LPXLR-3F to LPS TA3F cable, Blue Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18G	18" Low-Profile LPXLR-3F to LPS TA3F cable, Green Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18Y	18" Low-Profile LPXLR-3F to LPS TA3F cable, Yellow Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18N	18" Low-Profile LPXLR-3F to LPS TA3F cable, Orange Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18W	18" Low-Profile LPXLR-3F to LPS TA3F cable, White Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18A	18" Low-Profile LPXLR-3F to LPS TA3F cable, Gray Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18P	18" Low-Profile LPXLR-3F to LPS TA3F cable, Purple Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18S	18" Low-Profile LPXLR-3F to LPS TA3F cable, Brown Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-24K	24" Low-Profile LPXLR-3F to LPS TA3F cable, Black Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24R	24" Low-Profile LPXLR-3F to LPS TA3F cable, Red Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24B	24" Low-Profile LPXLR-3F to LPS TA3F cable, Blue Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24G	24" Low-Profile LPXLR-3F to LPS TA3F cable, Green Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24Y	24" Low-Profile LPXLR-3F to LPS TA3F cable, Yellow Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24N	24" Low-Profile LPXLR-3F to LPS TA3F cable, Orange Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24W	24" Low-Profile LPXLR-3F to LPS TA3F cable, White Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24A	24" Low-Profile LPXLR-3F to LPS TA3F cable, Gray Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24P	24" Low-Profile LPXLR-3F to LPS TA3F cable, Purple Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24S	24" Low-Profile LPXLR-3F to LPS TA3F cable, Brown Caps, Adjustable 90° Side-exit cable	\$42.95
<i>TA5F to TA5F</i>	<i>Two-channel LPS Low-Profile Cables, Use with Lectro SRc5P, Wisycom & Zaxcom QRX receivers to Zaxcom or Sound Devices Scorpio recorders</i>	
CT-LPS55-12K	12" Low-Profile LPS TA5F to TA5F cable, 2.8mm OD cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$44.95
CT-LPS55-18K	18" Low-Profile LPS TA5F to TA5F cable, 2.8mm OD cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$44.95
CT-LPS55-24K	24" Low-Profile LPS TA5F to TA5F cable, 2.8mm OD cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$47.95

LOW-PROFILE SPECIALTY CABLES FOR LECTROSONICS & SENNHEISER



	Low-Profile Lectrosonics Specialty Cables	
CT-LPHOPS-12K	12" Low-Profile TA3F to Low-Profile TA5F "Camera Hops" cable. [no pads]. For TA3 Balanced LINE level signals from a Sound Devices mixer/recorder to Lectrosonics transmitters, Black caps	\$39.95
CT-LPHOPS-12R	12" Low-Profile TA3F to Low-Profile TA5F "Camera Hops" cable. [no pads]. For TA3 Balanced LINE level signals from a Sound Devices mixer/recorder to Lectrosonics transmitters, Red caps	\$39.95
CT-LPHOPS-24K	24" Low-Profile TA3F to Low-Profile TA5F "Camera Hops" cable. [no pads]. For TA3 Balanced LINE level signals from a Sound Devices mixer/recorder to Lectrosonics transmitters, Black caps	\$42.95
CT-LPHOPS-24B	24" Low-Profile TA3F to Low-Profile TA5F "Camera Hops" cable. [no pads]. For TA3 Balanced LINE level signals from a Sound Devices mixer/recorder to Lectrosonics transmitters, Blue caps	\$42.95
CT-LP-LT-10R	10" Low-Profile XLR-3F to Low-Profile TA5F cable for Balanced LINE level signals into Lectrosonics transmitters, Red Caps, use with field mixer outputs to Lectrosonics SM-type transmitters for "Camera Hops"	\$44.95
CT-LP-LT-24B	24" Low-Profile XLR-3F to Low-Profile TA5F cable for Balanced LINE level signals into Lectrosonics transmitters, Blue Caps, use with field mixer outputs to Lectrosonics SM-type transmitters for "Camera Hops"	\$47.95
CT-LP-LR-18XB	18" Low-Profile cable for Lectrosonics LR receiver output to Balanced XLR Inputs, Low-Profile TA3F to LPXLR-3M, Blue Caps	\$44.95
CT-LP-LR-18TB	18" Low-Profile cable for Lectro LR receiver o/p to Sound Devices Balanced TA3M Inputs, LoPro TA3F to LoPro TA3F, Blue Caps	\$52.95
CT-LP-SR5P-24	24" Low-Profile "Y" cable for Lectrosonics SRc5P/SRb5P receiver outputs to (2) LPXLR-3M into field mixers/recorders like Sound Devices Scorpio, 888, 833, 633, 688, etc., Low-Profile TA5F to (2) LPXLR-3M [CH1 Blue/CH2 Red] with slim Junction Box	\$140.00
CT-LP-SR5P-RR-24	24" Low-Profile Right Angle TA5F to (2) Low-Profile LPXLR-3M, cable for Lectrosonics SRc5P/SRb5P receiver outputs into field mixers/recorders, [CH1 Blue/CH2 Red]	\$95.00
CT-LP-SR5P-RT-24	24" Low-Profile Right Angle TA5F to (2) Low-Profile TA3F, cable for Lectrosonics SRc5P/SRb5P receiver outputs into Sound Devices 633, 688, 664, 788T, [CH1 Blue/CH2 Red]	\$95.00
CT-LP-PSR5P-RS-24	24" Low-Profile Right Angle TA5F to (2) XLR-3M, cable for Lectrosonics SRc5P/SRb5P receiver outputs, 2.7mm OD, Neutrik XLR-3 straight male connectors	\$95.00
CT-LP-SR5P-SR-24	24" "Y" cable for Lectrosonics SRc5P/SRb5P TA5 receiver outputs. Straight TA5F to (2) Low-Profile LPXLR-3M into field mixer/recorders like Sound Devices Scorpio, 888, 833, 633, 664, 688, 302, 552, 788T, Zaxcom, Zoom, Tascam, [CH1 Blue/CH2 Red]	\$95.00
	Low-Profile Sennheiser Specialty Cables	
CT-MIN-LPUOX-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Low-Profile XLR 3-pin Male, Low-Profile Output cable for Sennheiser EK 100 G4/G3 and RodeLink, Unbalanced, Adjustable XLR outlet orientation	\$34.95
CT-MIN-LPUOT-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Low-Profile TA3F cable, Low-Profile Output cable for Sennheiser EK 100 G4/G3 and RodeLink to Sound Devices 633, 688 and 664 [CL-6] TA3M Line inputs, Unbalanced, Adjustable outlet orientation	\$34.95
CT-MIN-LPBOX-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Low-Profile XLR 3-pin Male, Low-Profile Sennheiser EK 2000, Senal AWS-2000R and Sony UWP Output cable, Balanced, Adjustable XLR outlet orientation	\$34.95
CT-MIN-LPBOT-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Low-Profile TA3F cable, Low-Profile Sennheiser EK 2000, Senal AWS-2000R and Sony UWP Output cable to Sound Devices 633, 688 and 664 [CL-6] TA3M Line inputs, Balanced, Adjustable outlet orientation	\$34.95
CT-MIN-LPXIN-18	18" Low-Profile XLR 3-pin Female to 3.5mm TRS Mini Moulded Locking Right Angle, Low-Profile Sennheiser SK 100 G4/G3 Line Input cable for "Camera Hops" with portable mixer/recorders, Adjustable XLR outlet orientation	\$34.95
CT-MIN-LPTIN-18	18" Low-Profile LPS TA3F to 3.5mm TRS Mini Moulded Locking Right Angle, Low-Profile Sennheiser SK 100 G4/G3 Line Input cable from Sound Devices 6-Series TA3M Outs [X1, X2 etc.] for "Camera Hops", Adjustable TA3F outlet orientation	\$34.95
CT-SG3LPOP-24	24" 3.5mm TRS to Low-Profile XLR 3-pin Male, Low-Profile Sennheiser EK 100 G3 Output cable, Unbalanced, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Blue Cap	\$39.95
CT-SG3LPOPT3-24	24" 3.5mm TRS to TA3F (Right Side-exit) cable, Low-Profile Sennheiser EK 100 G3 Output cable to Sound Devices 633, 688 and 664 [CL-6] TA3M Line inputs, Unbalanced, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Blue Cap	\$44.95
CT-S2KLPOP-24	24" 3.5mm TRS to Low-Profile XLR 3-pin Male, Low-Profile Sennheiser EK 2000, Senal AWS-2000R and Sony UWP Output cable, Balanced, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Red Cap	\$39.95
CT-S2KLPOPT3-24	24" 3.5mm TRS to LoPro TA3F cable, Low-Profile Sennheiser EK 2000 Output cable to Sound Devices 633, 688 and 664 [CL-6] TA3M Line inputs, Balanced, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Red Cap	\$44.95
CT-SG3LPIN-18	18" Low-Profile XLR 3-pin Female to 3.5mm TRS, Low-Profile Sennheiser EK 100 G3 Input cable, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Blue Cap	\$39.95
CT-CC600-8U	8" Coiled Low-Profile cable for Sennheiser MKE 600 into DSLR camera 3.5mm microphone input, Low-Profile XLR-3F to 3.5mm TRS right angle, 8" coil, for DSLR inputs, Blue Cap	\$29.95
CT-S600-12U	12" Low-Profile cable for Sennheiser MKE 600 into DSLR camera 3.5mm microphone input, Low-Profile XLR-3F to 3.5mm TRS right angle, for DSLR inputs, Blue Cap	\$29.95



LOW-PROFILE SPECIALTY CABLES FOR SENNHEISER CONT.

Code	Item	Price
	Low-Profile Sennheiser Specialty Cables	
CT-CCG435-8	8" Coiled Low-Profile output cable for Sennheiser EK 100 G4/G3, Unbalanced, Low-Profile 3.5mm TRS Locking connector to 3.5mm Right angle moulded TRS connector, 8" coil extends to 15", for DSLR inputs, Blue Cap	\$ 34.95
CT-CCG4X3M-8	8" Coiled Low-Profile output cable for Sennheiser EK 100 G4/G3, Unbalanced, Low-Profile 3.5mm TRS Locking connector to Low-Profile XLR-3M, 8" coil extends to 15", Blue Caps	\$ 39.95
CT-CCG4C70-8	8" Coiled Low-Profile output cable for Sennheiser EK 100 G4/G3 to Canon C70, Unbalanced, Low-Profile 3.5mm TRS Locking connector to Low-Profile TA3M "mini-XLR", 8" coil extends to 15", Blue Caps	\$ 39.95





LOW-PROFILE SPECIALTY CABLES FOR SONY WIRELESS

Code	Item	Price
	Low-Profile SONY UWP Cables	
CT-CCUWPX3M-8	8" Coiled Low-Profile output cable for Sony UWP Wireless, Balanced, Low-Profile 3.5mm TRS Locking connector to Low-Profile XLR-3M, 8" coil extends to 15", Yellow Caps	\$ 39.95
CT-CCUWPT3-8	8" Coiled Low-Profile output cable for Sony UWP Wireless, Balanced, Low-Profile 3.5mm TRS Locking connector to Low-Profile TA3F Female, 8" coil extends to 15", Yellow Caps	\$ 39.95
CT-CCUWPC70-8	8" Coiled Low-Profile output cable for Sony UWP Wireless to Canon C70, Balanced, Low-Profile 3.5mm TRS Locking connector to Low-Profile TA3M "mini-XLR" Male, 8" coil extends to 15", Yellow Caps	\$ 39.95
CT-URX41X3-15	Set of (2) 15" Low-Profile output cables for Sony URX-P41D Dual-Channel Camera-Mount Wireless Receiver, Balanced, Low-Profile Right Angle 3.5mm TRS Screw-Locking connector to Low-Profile Right Angle XLR-3M Male, Yellow/Black Caps	\$ 75.00
CT-URX41C70-15	Set of (2) 15" Low-Profile output cables for Sony URX-P41D Dual-Channel Camera-Mount Wireless Receiver to Canon EOS C70, Balanced, Low-Profile Right Angle 3.5mm TRS Screw-Locking connector to Low-Profile Right Angle TA3M, Yellow/Black Caps	\$ 75.00



LOW-PROFILE SPECIALTY CABLES FOR RØDE WIRELESS GO & GO II



Code	Item	Price
	Low-Profile RØDE Specialty Cables	
CT-GO2-YC70-15	15" 3.5mm TRS right angle "Y" cable to (2) Low-Profile TA3M Mini-XLR 3-pin Male, for RØDE Wireless GO II Dual Channel wireless output to Canon EOS C70 or Blackmagic Pocket Cinema Camera 6K Pro cameras	\$75.00
CT-GO2-YX3M-15	15" 3.5mm TRS right angle "Y" cable to (2) Low-Profile XLR 3-pin Male, for RØDE Wireless GO II Dual Channel wireless output to field recorders like Sound Devices, Zoom and Tascam or XLR camera inputs. Unbalanced	\$75.00
CT-GO-X3M-18	18" 3.5mm right angle moulded to Low-Profile XLR-3M Male, for RØDE Wireless GO output to field mixer inputs	\$34.95
CT-GO-CCX3M-8	8" to 15" 3.5mm TRS right angle moulded COILED to Low-Profile XLR-3M Male, for RØDE Wireless GO wireless output to Camera or field mixer and recorder XLR inputs like Sound Devices, Zoom and Tascam	\$34.95
CT-GO-C70-15	15" 3.5mm TRS right angle moulded to Low-Profile TA3M Mini-XLR-3M Male, for RØDE Wireless GO wireless output to Canon EOS C70 or Blackmagic Pocket Cinema cameras	\$34.95
CT-GO-CC70-8	8" to 15" 3.5mm TRS right angle moulded COILED to Low-Profile TA3M Mini-XLR-3M Male, for RØDE Wireless GO wireless output to Canon EOS C70 or Blackmagic Pocket Cinema cameras	\$34.95

LOW-PROFILE XLR CABLES

LOW-PROFILE COILED BOOM TO MIXER, JUMPERS, MIC CABLES & STEREO "Y"



Code	Item	Price
	Low-Profile Premium COILED XLR Boom to Mixer and Jumper Cables	
CT-LP-CBC-18	18" LoPro LPXLR-3F to LPXLR-3M Coiled "Boom to Mixer" cable with Low-Profile connectors, extends to 6'	\$65.00
CT-LP-CBC-RS-18	18" LoPro LPXLR-3F to Straight XLR-3M Coiled "Boom pole to Mixer" cable, extends to 6'	\$65.00
CT-LP-CBC-18ST	18" LPXLR-5F to XLR-5M STEREO Coiled "Boom to Mixer" cable, Low-Profile XLR-5F to Straight XLR-5M, extends to 6', Gray Cap and Ring	\$79.00
CT-LP-CC-6	6" LPXLR-3F to LPXLR-3M Coiled Jumper cable with Low-Profile connectors, extends to 15"	\$42.00
CT-LPS-CCT3X-8	8" LPS TA3F to LPXLR-3M Low-Profile Coiled Jumper cable, Balanced, extends to 15"	\$42.00
	Slim-line Low-Profile Mic Jumper Cables for Boom Tops	
CT-LP-SLX-3009	9" LPXLR-3F to XLR-3M Adjustable Angle Low-Profile "Shortie" XLR 3-pin Mic Jumper Cable, 2.8mm dia. Mogami W3031 cable, Black Cap	\$34.95
CT-LP-SLX-5009	9" LPXLR-5F to XLR-5M Adjustable Angle Low-Profile "Shortie" XLR 5-pin Stereo Mic Jumper Cable, 2.8mm dia. flexible cable, Gray Cap and Ring	\$49.95
	Low-Profile Stereo "Y" Microphone Cables	
CT-LP-PYF-18	18" Straight XLR 5-pin Female to (2) Low-Profile XLR 3-pin Male "Y" cable, Connectors: Neutrik NC5FXX-B to (2) AX3M, CH1 Blue/CH2 Red	\$59.95
CT-LPYF-RR-18	18" Low-Profile XLR 5-pin Female to (2) Low-Profile XLR 3-pin Male "Y" cable, Connectors: BX5FL to (2) AX3M, CH1 Blue/CH2 Red	\$75.00
CT-LPYF-RS-18	18" Low-Profile XLR 5-pin Female to (2) Straight XLR 3-pin Male "Y" cable, Connectors: BX5FL to (2) Neutrik NC3MXX-B, CH1 Blue/CH2 Red	\$75.00
CT-LPYM-RS-18	18" (2) Low-Profile XLR 3-pin Female to Straight XLR 5-pin Male "Y" cable, Connectors: (2) AX3F to Neutrik NC5MXX-B, CH1 Blue/CH2 Red	\$75.00



MICROPHONE CABLES

PREMIUM QUALITY, GENUINE MATERIALS, ROAD WORTHY

*Production
Essentials
Series*



MICROPHONE CABLES - premium microphone cables assembled in the U.S.A. using only quality components in genuine Canare® cable and Neutrik® XX Series XLR connectors. Available in standard 3-pin and Stereo 5-pin versions in the most common lengths. Black cable, Black connector shells with gold pins. Each cable has a durable, cable length indicator label and Cable Techniques *Rip-Tie* Velcro cable wrap.



Pin-outs for 5-pin Connections

Pin 1: Ground
Pin 2: CH 1 +phase
Pin 3: CH 1 -phase
Pin 4: CH 2 +phase
Pin 5: CH 2 -phase




STEREO "Y" CABLES - premium microphone "Y" cables assembled in the U.S.A. using only quality components in genuine Canare® cable and Neutrik® XX Series XLR connectors. Available as XLR 5-pin Female to (2) XLR 3-pin Male or (2) XLR 3-pin Female to (1) XLR 5-pin Male for "splitting" Stereo 5-pin cables. 18" lengths, Black cable, Black connector shells w/ gold pins.

For quick identification, the XLR-3 connectors on our "Y" cables utilize a BLUE ring for Left/CH 1 and a RED ring for Right/CH 2.

Code	Item	Price
XLR-3	<i>Microphone Cables have length indicator labels and include a Cable Techniques Rip-Tie Velcro cable wrap</i>	
CT-PX-310	10' premium microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 3-pin connectors, Black, gold pins	\$ 39.99
CT-PX-325	25' premium microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 3-pin connectors, Black, gold pins	\$ 55.00
CT-PX-350	50' premium microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 3-pin connectors, Black, gold pins	\$ 72.00
CT-PX-3100	100' premium microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 3-pin connectors, Black, gold pins	\$ 119.00
XLR-5 Stereo	<i>Stereo 5-pin Microphone Cables have Gray colored XLR rings for easy identification</i>	
CT-PX-510	10' premium Stereo microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 5-pin connectors, Black, gold pins	\$ 50.00
CT-PX-525	25' premium Stereo microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 5-pin connectors, Black, gold pins	\$ 62.00
CT-PX-550	50' premium Stereo microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 5-pin connectors, Black, gold pins	\$ 80.00
"Y" Cables	<i>For "Splitting" XLR-5 Stereo Microphone Cables</i>	
CT-PYF-18	18" (1) XLR 5-pin Female to (2) XLR 3-pin Male "Y" cable, Neutrik XX connectors, Black, gold pins	\$ 55.00
CT-PYM-18	18" (2) XLR 3-pin Female to (1) XLR 5-pin Male "Y" cable, Neutrik XX connectors, Black, gold pins	\$ 55.00
CT-LP-PYF-18	18" (1) Straight XLR 5-pin Female to (2) LPXLR-3M Low-Profile XLR 3-pin Male "Y" cable, [CH1 Blue/CH2 Red]	\$59.95
Digital XLR-3	<i>Digital 110 ohm Mic Cables have length indicator labels and include a Cable Techniques Rip-Tie Velcro cable wrap</i>	
CT-PXD-36	6' premium 110 Ω Digital microphone cable, Mogami cable, Black Neutrik XLR 3-pin connectors with gold pins	\$ 42.00
CT-PXD-310	10' premium 110 Ω Digital microphone cable, Mogami cable, Black Neutrik XLR 3-pin connectors with gold pins	\$ 45.00
CT-PXD-325	25' premium 110 Ω Digital microphone cable, Mogami cable, Black Neutrik XLR 3-pin connectors with gold pins	\$ 66.00
CT-PXD-350	50' premium 110 Ω Digital microphone cable, Mogami cable, Black Neutrik XLR 3-pin connectors with gold pins	\$ 85.00

LECTROSONICS™ INTERFACE CABLES
PREMIUM QUALITY, GENUINE MATERIALS, ROAD WORTHY


*Production
Essentials
Series*



Code	Item	Price
	Camera Hops Cables	
CT-CHOPS-18	18" TA3F to TA5F, for Sound Devices TA3M Balanced outs to Lectro transmitters "Camera Hops" cable, Line Level, No Pad, Blue cable	\$ 55.00
CT-PLT-M24	24" XLR-3F to TA5F cable for balanced MIC level signals into Lectrosonics Legacy or Servo-Bias input transmitters	\$ 34.99
CT-PLT-L24	24" XLR-3F to TA5F cable for balanced LINE level signals into Lectrosonics Legacy or Servo-Bias input transmitters	\$ 34.99
	UCR Receiver Output Cables	
CT-PXR-18K	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Neutrik XX Series, Black XLR Ring	\$ 45.00
CT-PXR-18R	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Neutrik XX Series, Red XLR Ring	\$ 45.00
CT-PXR-18B	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Neutrik XX Series, Blue XLR Ring	\$ 45.00
CT-PXR-18Y	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Neutrik XX Series, Yellow XLR Ring	\$ 45.00
CT-PXR-18G	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Neutrik XX Series, Green XLR Ring	\$ 45.00
CT-PXR-18N	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Neutrik XX Series, Orange XLR Ring	\$ 45.00
CT-PXR-SET	Set of (5) CT-PXR-18 cables, one of each color Red, Blue, Green, Yellow and Orange XLR Rings, 18" lengths	\$ 225.00
CT-PXR-24K	24" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Neutrik XX Series, Black XLR Ring	\$ 46.00
CT-PXR3-18K	18" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Black XLR Ring	\$ 39.95
CT-PXR3-18R	18" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Red XLR Ring	\$ 39.95
CT-PXR3-18B	18" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Blue XLR Ring	\$ 39.95
CT-PXR3-18Y	18" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Yellow XLR Ring	\$ 39.95
CT-PXR3-SET	Set of (3) CT-PXR3-18 cables, one of each color Red, Blue and Yellow XLR Rings, 18" lengths	\$ 119.00
CT-PXR3-24K	24" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Black XLR Ring	\$ 42.00
	SR Receiver Output Cables (TA5F)	
CT-PSR5PT-224	24" TA5F to (2) TA3F audio bag Lectro SRa5P/SRb5P receiver cable to TA3 balanced inputs on Sound Devices 633, 664 788T etc.	\$ 55.00
CT-PSR5PS-224	24" TA5F to (2) XLR-3M audio bag Lectro SRa5P/SRb5P receiver cable, Mogami cable, Neutrik XLR connectors	\$ 59.00
	LR Receiver Output Cables	
CT-PLR3X-18K	18" TA3F to XLR-3M Balanced Lectrosonics LR receiver output cable	\$ 29.95
CT-PLR3X-24K	24" TA3F to XLR-3M Balanced Lectrosonics LR receiver output cable	\$ 32.00
CT-PLR3T-18K	18" TA3F to TA3F Balanced Lectrosonics LR receiver output cable, for use with TA3 inputs on SD 633, 664, 688, 788T etc.	\$ 29.95
CT-PLR3T-24K	24" TA3F to TA3F Balanced Lectrosonics LR receiver output cable, for use with TA3 inputs on SD 633, 664, 688, 788T etc.	\$ 32.00
	SSM Adapter Cable	
CT-SSM-T5L	6" TA5M to 3-pin Locking [LEMO] Adaptor cable for Lectrosonics TA5F wired mics into SSM Transmitter	\$ 75.00

SOUND DEVICES™ INTERFACE CABLES
PREMIUM QUALITY, GENUINE MATERIALS, ROAD WORTHY

*Production
Essentials
Series*



CONNVERTX-3 - Problem-Solver interface cable for various devices with balanced TA3M connections - most notably Sound Devices 8, 6 & 7-Series Field Recorders. The ConnvertX-3 has a selectable "gender" XLR-3 so it can be used as either an Input or Output cable via the devices TA3M connectors. A great "Go-To" cable to have when needing to address TA3 interface situations in the field.



SOUND DEVICES "TAPE OUT" CABLES - Designed for the various Unbalanced Tape Out connections on Sound Devices mixers, also known as "X" outputs. Many variations available with 3.5mm TRS or TA3F to XLR-3M or TA5F to feed one or two Lectrosonics transmitters.

Scorpio, 888, 833 & 633 = X3/X4 via 3.5mm TRS, **644** = Tape Out via either TA3F or 3.5mm TRS, **552** = Tape Out via either TA3F or 3.5mm TRS, **302** = Tape Out via TA3F

Code	Item	Price
CT-X3YF-T5-24	24" (2) XLR-3F to TA5F Balanced "Y" Cable for Sound Devices Scorpio CH 9-16 TA5 Inputs. CH 1: Blue Ring, CH 2: Red Ring.	\$ 45.00
CT-CVX-324	ConnvertX-3, 24" Neutrik Selectable Gender Male/Female XLR-3 to TA3F cable, Canare L2E5 cable, Convertcon XLR	\$ 45.00
CT-MB-324	24" TA3F to TA3F for Sound Devices 302 and 442 mixer linking and Balanced TA3 connections	\$ 25.00
CT-MB-524	24" TA3F to TA5F for Sound Devices 302/442 to 552 or 664 mixer linking	\$ 55.00
CT-PTXR-18	18" TA3F to XLR-3 Male cable for Sound Devices balanced TA3 outs to XLR 3-pin inputs, use w/ 633, 644, 688, 552, 788T etc.	\$ 29.95
CT-PTXR-24	24" TA3F to XLR-3 Male cable for Sound Devices balanced TA3 outs to XLR 3-pin inputs, use w/ 633, 644, 688, 552, 788T etc.	\$ 32.00
CT-PXFT-18	18" XLR-3F Female to TA3F cable for Sound Devices balanced TA3 inputs, use w/ 633, 644, 788T, 688, 552 etc.	\$ 29.95
CT-PXFT-24	24" XLR-3F Female to TA3F cable for Sound Devices balanced TA3 inputs, use w/ 633, 644, 788T, 688, 552 etc.	\$ 32.00
CT-P35RLT-18	18" 3.5mm TRS Right Angle to TA5F for Sound Devices Tape Out to Lectro TX, Mono Mix, for Scorpio, 888, 833, 633, 664, 688	\$ 39.95
CT-PT3LT-18	18" TA3F to TA5F for Sound Devices Tape Out to a Lectrosonics Transmitter, Mono Mix, use with 664, 552, 302	\$ 39.95
CT-P35RLT2-24	24" 3.5mm TRS Right Angle to (2) TA5F for Sound Devices Tape Out to (2) Lectro TX, Tip=L, Ring=R, for Scorpio, 888, 833, 633, 664, 688	\$ 55.00
CT-PT3LT2-24	24" TA3F to (2) TA5F for Sound Devices Tape Out to (2) Lectrosonics Transmitters, Pin 2 = L, Pin 3 = R, use with 664, 552, 302	\$ 55.00
CT-P35RUX-224	24" 3.5mm TRS Right Angle to (2) XLR-3 Male, Unbalanced, for Sound Devices Tape Out, Tip=L, Ring=R, for Scorpio, 888, 833, 633, 688 etc	\$ 55.00
CT-PT3UX-224	24" TA3F to (2) XLR-3 Male for Sound Devices Tape Out, Pin 2 = L, Pin 3 = R, use with 664, 552, 302	\$ 55.00
RX-XLRR	18" XLR-3F right angle to TA3F receiver cable for TA3 Balanced input, use with Lectrosonics UCR / Zaxcom RX900M	\$ 39.95

COILED BOOM POLE TO MIXER & COILED CAMERA CABLES

*Production
Essentials
Series*




COILED BOOM POLE CABLES - A tidy way to connect “internally cabled” boom poles to mixer inputs in over the shoulder applications. Features a Right Angle XLR-3F connector with 12” of coil that comfortably extends to about 6’ to an XLR-3M. We leave 12” of straight cable on the male side to wire through to the other side of the bag for right-handed boom ops. Also as a 24” XLR-5F Stereo version. Custom, USA-made high-quality coiled cable with Neutrik® XX Series connectors. 15mm diameter coil on 12” mono version and 13mm coil diameter on 24” Stereo cable. Works equally well with straight, bottom exit poles and side-exit XLR connectors

Lightweight: 12” cable is only 2.2 oz with connectors, 24” is 4.2 oz




Code	Item	Price
	Coiled Boom Pole Cables	
CT-CBC-12	XLR-3F Right Angle to XLR-3M coiled “boom to mixer” cable, 12” coil w/ 12” male tail, extends to 6’, 15mm dia., 2.2 oz	\$ 75.00
CT-CBC-18S	XLR-5F Right Angle to XLR-5M <u>Stereo</u> coiled “boom to mixer” cable, 18” coil w/ 12” male tail, extend to 6’, 15mm dia., 2.2 oz	\$ 85.00
	Coiled Cables for Camera-mounted Lectrosonics receivers and Microphones	
CT-LRCC-8U	8” TA3F to 3.5mm TRS Right Angle coiled cable, 4” coil section, extends to 14”, for Lectrosonics LR receiver on a DSLR camera, Mono o/p L/R combined	\$ 29.95
CT-LRCC-6B	6” TA3F to XLR-3M coiled cable, extends to 18”, for Lectrosonics LR receiver on a DSLR camera with mounted recorder e.g. DR-60 or DR-70	\$ 39.95
CT-CC-6	XLR-3F Right Angle to XLR-3M coiled camera-mounted microphone or Lectro UCR Receiver cable, 6” coil, extends to 18”	\$ 45.00

CABLES FOR EQUIPMENT MOUNTED ON A CAMERA



Code	Item	Price
DC Cables for Camera Mounted Gear		
CT-CAM-9	9" Hirose to right angle to power a Lectrosionics UCR receiver mounted on a camera from Hirose 4-pin DC socket	\$ 48.00
CT-CAM-8/9	Right angle 8"/9" to Hirose to power (2) Lectrosionics UCR receivers mounted on a camera from Hirose 4-pin DC socket	\$ 52.00
CT-CAMSR-9	9" Hirose to right angle Locking to power a Lectrosionics SR receiver mounted on a camera from Hirose 4-pin DC socket	\$ 48.00
Blackmagic Design Pocket Cinema Audio Cables		
CT-MIN-UOMT3-20	20" 3.5mm TRS Mini Moulded Locking LoPro Right Angle to TA3M "Mini XLR" 3-pin Male, Low-Profile Output cable for Sennheiser EK 100 G4/G3 and RodeLink to Blackmagic Design Pocket Cinema 4K/6K Camera and Video Assist 4K/12G HDR Audio Inputs	\$ 34.95
CT-MIN-BOMT3-20	20" 3.5mm TRS Mini Moulded Locking LoPro Right Angle to TA3M "Mini XLR" 3-pin Male, Balanced, Low-Profile Output cable for Sennheiser EK 2000, Senal AWS-2000R or SONY UWP to Blackmagic Design Pocket Cinema 4K/6K Camera and Video Assist 4K/12G HDR Audio Inputs	\$ 34.95
CT-FXMT3-20	20" Straight XLR-3F Female to TA3M "Mini XLR" 3-pin Male cable for Blackmagic Design Pocket Cinema 4K/6K Camera and Video Assist 4K Audio Inputs	\$ 29.95
CT-F3MT3-2/20	Set of two 20" Straight XLR-3F Female to TA3M "Mini XLR" 3-pin Male cable for Blackmagic Design Pocket Cinema 4K/6K Camera and Video Assist 4K	\$ 49.95
CT-CCX3MT3-8	8" XLR-3F Female to TA3M "Mini XLR" 3-pin Male Coiled cable for Blackmagic Design Pocket Cinema 4K/6K Camera Balanced Audio Input, extends to 15"	\$ 34.95
CT-LX3MT3-20	20" Low-Profile LPXLR-3F Right Angle Female to TA3M "Mini XLR" 3-pin Right Angle Male cable for Blackmagic Design Pocket Cinema 4K/6K Camera Balanced Audio Input	\$ 39.95
CT-CCFMT3-8	8" Low-Profile TA3F to Straight TA3M "Mini XLR" Coiled cable for Lectrosionics LR Receiver out to Blackmagic Design Pocket Cinema 4K/6K Camera Balanced Audio Input, extends to 15"	\$ 39.95
RODE Stereo VideoMic X Cable Sets		
CT-VMX-RS-24	Set of (2) 24" Low-Profile TA3F to Straight XLR-3M Male cables for Rode Stereo VideoMic X, Balanced, CH L White, CH R Red color codes	\$ 49.95
CT-VMX-RR-24	Set of (2) 24" Low-Profile TA3F to Low-Profile XLR-3M Male cables for Rode Stereo VideoMic X, Balanced, CH L White, CH R Red color codes	\$ 65.00
CT-VMX-RTS-15	Set of (2) 15" Low-Profile TA3F to Straight TA3M "Mini XLR" Male cables for Rode Stereo VideoMic X with Canon EOS C70, Balanced, CH L White, CH R Red color codes	\$ 49.95
CT-VMX-RTR-15	Set of (2) 15" Low-Profile TA3F to Low-Profile TA3M "Mini XLR" Male cables for Rode Stereo VideoMic X with Canon EOS C70, Balanced, CH L White, CH R Red color codes	\$ 65.00
Low-Profile Camera-Mount Cables for Sony Venice and ARRI		
CT-LP-VENYM-18	18" Low-Profile (2) LPXLR-3F to LPXLR-5M Stereo "Y" cable for camera-mounted pair of microphones or wireless receiver outputs, Use with Sony Venice, Arri Alexa, Arri Amira, Varicam etc., CH 1: Blue, CH 2: Red	\$ 75.00
CT-LP-VENX5-18	18" Low-Profile XLR-5 Stereo cable for camera-mounted Stereo Microphones, Use with Sony Venice, Arri Alexa, Arri Amira, Varicam etc.	\$ 59.00
CT-LP-VENX5-18	18" Low-Profile LPXLR-3F to LPXLR-5M "mono split" cable for Camera-Mounted Microphone, Use with Sony Venice, Arri Alexa, Arri Amira, Varicam etc., Mono audio goes to both channels of 5-pin, Black cap/Gray cap	\$ 59.00
Canon EOS C70 Audio Cables		
CT-AX3FC70-1	1" Low-Profile XLR-3F Female to Low-Profile TA3M "Mini XLR" 3-pin Male shortie adaptor cable for Sennheiser AVX Wireless to Canon EOS C70	\$39.95
CT-AX3FC70-15	15" Low-Profile XLR-3F Female to Low-Profile TA3M "Mini XLR" 3-pin Male cable for Microphone or Wireless to Canon EOS C70 Audio Balanced Audio Input	\$39.95
CT-CCAX3FC70-8	8" Low-Profile XLR-3F Female to Low-Profile TA3M "Mini XLR" 3-pin Male Coiled cable for Microphone or Wireless to Canon EOS C70 Audio Balanced Audio Input, extends to 15"	\$39.95
CT-MIN-G4C70-15	15" 3.5mm TRS Mini Moulded Locking Low-Profile Right Angle to TA3M "Mini XLR" 3-pin Male, Low-Profile Output cable for Sennheiser EK 100 G4/G3 and RodeLink to Canon EOS C70 Camera Audio Input	\$34.95
CT-MIN-2KC70-15	15" 3.5mm TRS Mini Moulded Locking Low-Profile Right Angle to TA3M "Mini XLR" 3-pin Male, Low-Profile Output cable for Sennheiser EK 2000 and Sony UWP to Canon EOS C70 Camera Audio Input, Balanced	\$34.95

SENNHEISER™ WIRELESS CABLES



Shown: CT-SG3IN-18





Shown: CT-S2KOP-12



Shown: CT-MIN-BOX-18

Code	Item	Price
CT-MIN-UOX-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to XLR-3 Male, Sennheiser EK 100 G4/G3, XSW-D 3.5mm and RodeLink Deluxe Output cable, Unbalanced	\$ 34.95
CT-MIN-UOX-12	12" 3.5mm TRS Mini Moulded Locking Right Angle to XLR-3 Male, Sennheiser EK 100 G4/G3, XSW-D 3.5mm and RodeLink Deluxe Output cable, Unbalanced, Length ideal for on-camera receiver mounting	\$ 34.95
CT-MIN-UO35-10	10" 3.5mm TRS Mini Moulded Locking Right Angle to 3.5mm TRS Right Angle, Sennheiser EK 100 G4/G3, XSW-D 3.5mm, RodeLink or Sony UWP Deluxe Output cable to DSLR 3.5mm mic input, Unbalanced	\$ 29.95
CT-MIN-BOX-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Straight XLR-3M, Sennheiser EK 2000, Sony UWP Output cable, Balanced	\$ 34.95
CT-SG3OP-12	12" 3.5mm TRS to XLR-3 Male, Deluxe Sennheiser EK 100 G4/G3 Output cable, Unbalanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Blue cable	\$ 39.95
CT-SG3OP-24	24" 3.5mm TRS to XLR-3 Male, Deluxe Sennheiser EK 100 G4/G3 Output cable, Unbalanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Blue cable	\$ 42.00
CT-SG3IN-18	18" XLR-3 Female to 3.5mm TRS, Deluxe Sennheiser SK 100 G4/G3 Input cable, high quality 3.5mm TRS connector	\$ 39.95
CT-S2KOP-12	12" 3.5mm TRS to XLR-3 Male, Deluxe Sennheiser EK 2000 Output cable, Balanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Red cable	\$ 39.95
CT-S2KOP-24	24" 3.5mm TRS to XLR-3 Male, Deluxe Sennheiser EK 2000 Output cable, Balanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Red cable	\$ 42.00
CT-SG3T3-18	18" 3.5mm TRS to TA3F, Deluxe Sennheiser EK 100 G4/G3 Output cable, Unbalanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Blue cable, for Sound Devices 633, 664, 688 and 788T TA3M Inputs	\$ 39.95
CT-S2KT3-18	18" 3.5mm TRS to TA3F, Deluxe Sennheiser EK 2000 Output cable, Balanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Red cable, for Sound Devices 633, 664, 688 and 788T TA3M Inputs	\$ 39.95
RX-TRSBL	18" 3.5mm TRS Locking to TA3F receiver cable for Sound Devices TA3M Inputs, For Sennheiser EK 2000	\$ 29.95
RX-TRSUL	18" 3.5mm TRS Locking to TA3F receiver cable for Sound Devices TA3M Inputs, Unbal, For Sennheiser EK 100 G4/G3	\$ 29.95

TIMECODE CABLES FOR TENTACLE SYNC & DIETY TC-1



Code	Item	Price
CT-TSE-TC-OUT	15" Tentacle Sync Timecode OUT to Lemo-compatible 5-Pin Timecode Cable, Neutrik NTP3RC 3.5mm TRS Output connector to Lemo-compatible 5-pin connector for TC out of Tentacle Sync into compatible recorder or camera	\$ 45.00
CT-TSE-TC-JAM	15" Lemo-compatible 5-Pin Timecode to Tentacle Sync IN TC Jamming Cable, Lemo-compatible 5-pin connector for Timecode Input on Tentacle for Jamming via Neutrik NTP3RC 3.5mm TRS connector	\$ 45.00
CT-DTC1-TC-OUT	15" Diety TC-1 Timecode OUT to Lemo-compatible 5-Pin Timecode Cable, Low-Profile Right Angle Locking 3.5mm TRS Output connector to Lemo-compatible 5-pin connector for TC out of Diety TC-1 into compatible recorder or camera	\$ 45.00
CT-DTC1-TC-JAM	15" 5-Pin Timecode to Diety TC-1 IN TC Jamming Cable, Lemo compatible 5-pin connector for TC Output to Low-Profile Right Angle Locking 3.5mm TRS connector for TC Input into Diety TC-1	\$ 45.00

STANDARD CONNECTORS



Shown: CT-TA5FL-B



Shown: RED16



Shown: CT-HRS4-R

Code	Item	Price
CT-3.5TRS-K	3.5mm TRS Locking Connector, Black, Gold contacts, for Sennheiser G4/G3 & 2000 Series wireless, Sony, & Azden. Outlet accepts cables up to 6mm.	\$ 5.49
CT-3.5TRS-DLX	Deluxe 3.5mm TRS Locking Connector, Nickel, for Sennheiser G4/G3 & 2K, Sony, Diety, Azden, RodeLink	\$ 15.95
CT-3.5TRS-K-DLX	Deluxe 3.5mm TRS Locking Connector, Black, for Sennheiser G4/G3 & 2K, Sony, Diety, Azden, RodeLink	\$ 15.95
CT-TC5-32-K	5-pin Circular "Push-Pull" Male Connector for Timecode cables compatible with Ambient® Lockit products and other similar timecode gear, Complete connector with 3.2mm strain collet, Black silicone boot	\$ 39.99
CT-TC5-32-R	5-pin Circular "Push-Pull" Male Connector for Timecode cables compatible with Ambient® Lockit products and other similar timecode gear, Complete connector with 3.2mm strain collet, Red silicone boot	\$ 39.99
CT-TC5-32-G	5-pin Circular "Push-Pull" Male Connector for Timecode cables compatible with Ambient® Lockit products and other similar timecode gear, Complete connector with 3.2mm strain collet, Green silicone boot	\$ 39.99
CT-TA3F-B	TA3F 3-pin "Mini XLR" connector, Black	\$ 5.49
CT-TA3FL-B	TA3F 3-pin "Mini XLR" connector, Large Outlet Boot, Black	\$ 5.49
CT-TA3M-K	TA3M 3-pin "Mini XLR" Male connector, Black	\$ 5.49
CT-TA4F-B	TA4F 4-pin "Mini XLR" connector, Black	\$ 5.49
CT-TA4FL-B	TA4F 4-pin "Mini XLR" connector, Large Outlet Boot, Black	\$ 5.49
CT-TA4M-K	TA4M 4-pin "Mini XLR" Male connector, Black	\$ 5.49
CT-TA5F-B	TA5F 5-pin "Mini XLR" connector, Black	\$ 5.49
CT-TA5FL-B	TA5F 5-pin "Mini XLR" connector, Large Outlet Boot, Black	\$ 5.49
CT-TA5M-K	TA5M 5-pin "Mini XLR" Male connector, Black	\$ 5.49
CT-TA6FL-B	TA6F 6-pin "Mini XLR" connector, Large Outlet Boot, Black	\$ 5.49
RED16	3-pin Screw-Locking connector for Sennheiser SK50/SK 2000, Lectrosonics SSM, Sound Devices A10/A20-Mini, Wisycom, Zaxcom	\$ 35.00
RED42	3-pin Screw-Locking connector, larger outlet for 3.2mm OD cable, for Sennheiser SK50/SK 2000, Lectrosonics SSM, Sound Devices A10/A20-Mini, Wisycom, Zaxcom	\$ 35.00
CT-HRS4-S	4-Pin Male DC connector [Hirose compatible], push-pull, cable mount, for DC powering cables for Sound Devices, Zaxcom, Ambient etc.	\$ 12.95
CT-HRS4-R	4-Pin Male Right Angle DC connector [Hirose compatible], push-pull, cable mount, for DC powering cables for Sound Devices, Zaxcom, Ambient, MX-POWERSLED and more	\$ 14.95
CT-DTAP-M	D-Tap/P-Tap Male connector for Powertap 2-pin DC power cables, gold pins, cable clamp	\$ 8.99
CT-XLR-3F-NS	XLR 3-pin Female Connector, Heavy Duty metal threaded boot, gold contacts, Nickel finish	\$ 4.99
CT-XLR-3F-K	XLR 3-pin Female Connector, Heavy Duty metal threaded boot, gold contacts, Matte Black finish	\$ 4.99
CT-XLR-3M-NS	XLR 3-pin Male Connector, Heavy Duty metal threaded boot, gold contacts, Nickel finish	\$ 4.99
CT-XLR-3M-K	XLR 3-pin Male Connector, Heavy Duty metal threaded boot, gold contacts, Matte Black finish	\$ 4.99



CT-TC5-32-K



CT-3.5TRS-DLX



MX-POWERSLED

“BATTERY ELIMINATOR” FOR SOUND DEVICES MIXPRE-3 II & MIXPRE-6 II RECORDERS

MX-POWERSLED - MX-POWERSLED is a “Battery Eliminator” for Sound Devices MixPre-3, MixPre-3 II, MixPre-6 and MixPre-6 II portable recorders with Hirose 4-pin connector. It accepts a DC input range of 9-24V from high capacity rechargeables like NP-1 or Smart Batteries and supplies the recorder with consistent regulated power. Eliminates the need for USB power or using AA batteries in the recorders AA Sled in the field = saves time and money.

With the MX-POWERSLED a MixPre Series recorder can be easily integrated into a Bag Rig with wireless receivers etc. all powered by a single rechargeable via a portable DC Distribution system. The Hirose 4-pin connection provides a secure connection and cabling options are readily available.



Features & Specifications:

- INPUT Connection: Hirose 4-pin
- Accepts 9 - 24VDC source
- Regulated Voltage supplied to MixPre: 7.2V
- For Sound Devices MixPre-3 and MixPre-6 [including “M” and II versions]
- “Battery Eliminator” takes place of battery sled
- Integrate into Battery Distro Systems
- A Secure Locking Connection compared to USB
- Field-Durable Aluminum Housing
- Powder coat with laser engraved markings
- Current Draw: 370mA @ 12V
- Fused at 4A
- Hirose Wiring: Pin-4 +, Pin-1 -
- Dimensions: 5" x 1 ¼" x 1 ½"
- Weight: only 3.2 oz (90g)

Code	Item	Price
CT-MX-PS	MX-POWERSLED, External Power adaptor "Battery Eliminator" for all Sound Devices MixPre-3/MixPre-6 recorders	\$ 89.99

BATTERY BUD II

PORTABLE DC DISTRIBUTION BOX WITH HIROSE 4-PIN CONNECTIONS



BATTERY BUD II - a super-small modular DC distribution box that will split power from a single battery source via Five Hirose 4-pin outputs. The Battery Bud II was designed for the production sound professional. It's small, lightweight and field durable. We offer a full complement of high quality cables to mate with the most popular field production equipment.

Based on the success of the original Battery Bud, the "II" fulfills the demand for more outputs and higher current capacity for the increasingly complex audio bag arrangements.

The box ergonomics and connector orientation have been carefully selected to effortlessly integrate into your existing bag setup without impeding the placement of your existing audio gear. The connections are on the bottom of the box for the cleanest possible cable arrangement in your bag. All Cable Techniques products are carefully hand assembled in the United States using premium materials.



Bottom View



Top View



Back View

Features:

- Industry standard Hirose 4-pin Female connections for DC I/O
- [Five Hirose outputs](#)
- Custom recessed On/Off switch
- Internal 6A electronic auto-resetting internal breaker
- Tough wrinkle powder coat finish with laser engraved markings
- Lightweight metal box with removable belt clip included
- Dimensions: 2" x 2" x 1 1/4"
- Weight: only 2.9 oz (82 g)
- All connections on the bottom for tidy cable arrangement

Code	Item	Price
	Battery Bud II	
BB-002	Battery Bud II - Small Portable DC Distribution Box, Hirose 4-pin connections, FIVE outputs, 12-18V DC, 6A	\$ 199.00
BBUDKIT-SR	Kit includes: Battery Bud II, BB-NP, BB-SDMX-18, (2) BB-HRS-SR-24, for (2) Lectro SRa5P or SRb5P receivers w/ Sound Devices mixer	\$ 399.99
BBUDKIT-UCR	Kit includes: Battery Bud II, BB-NP, BB-SDMX-18, (2) BB-BAG-24/2, for (4) Lectrosonics UCR receivers with Sound Devices mixer	\$ 399.99
CT-CLIP	Belt Clip only, used on Battery Bud II, RX Emergency, Legacy Battery Bud, 2.5cm x 4.5cm, Stainless	\$ 6.00

BATTERY BUD II USB

PORTABLE DC DISTRIBUTION BOX WITH HIROSE 4-PIN CONNECTIONS AND USB POWER



BATTERY BUD II USB - Battery Bud II USB was designed for the location sound professional. A super-small modular DC distribution box that will split power from a single battery source via Five Hirose 4-pin outputs. Conveniently located on the top of the unit, the USB Dedicated Charging Port (DCP) will charge Smartphones and tablets and other USB devices.

The Battery Bud II USB fulfills the demand for multiple outputs, a higher current capacity and USB power for Smartphone and tablet charging during production.

The box ergonomics and connector orientation have been carefully selected to effortlessly integrate into your existing bag setup without impeding the placement of your existing audio gear. The connections are on the bottom of the box for the cleanest possible cable arrangement in your bag. All Cable Techniques products are carefully hand assembled in the United States using premium materials.



Bottom View



Top View



Back View



Features:

- Industry standard Hirose 4-pin Female connections for DC I/O
- [USB Dedicated Charging Port \(DCP\)](#) for charging Smartphones, 5V, 2A, Unswitched
- Five Hirose outputs
- Custom recessed On/Off switch
- Internal 6A electronic auto-resetting internal breaker
- Tough wrinkle powder coat finish with laser engraved markings
- Lightweight metal box with removable belt clip included
- Dimensions: 2" x 2" x 1 1/4"
- Weight: only 2.9 oz (82 g)

Code	Item	Price
	Battery Bud II USB	
BB-003	Battery Bud II USB - Small Portable DC Distribution Box, Hirose 4-pin connections, FIVE outputs, 12-18V DC, 6A, USB DCP - 5V, 2A	\$ 239.00
BBUDuKIT-SR	Kit includes: Battery Bud II USB, BB-NP, BB-SDMX-18, (2) BB-HRS-SR-24, for (2) Lectro SRa5P/SRb5P (SEXT) receivers and mixer	\$ 439.99
BBUDuKIT-UCR	Kit includes: Battery Bud II USB, BB-NP, BB-SDMX-18, (2) BB-BAG-24/2, for (4) Lectrosonics UCR receivers and mixer	\$ 439.99

DC POWERING CABLES & INPUT ADAPTORS

HIGH-QUALITY INTERCONNECTS




Code	Item	Price
	DC Powering Cables / Battery Bud Output	
BB-BAG-24/1*	24" Hirose to single right angle DC powering cable for Lectrosonics UCR receivers and ISO9VOLT Battery Eliminators	\$ 48.00
BB-BAG-24/2*	24" x 2 Hirose to dual right angle DC powering cable for Lectrosonics UCR receivers and ISO9VOLT Battery Eliminators	\$ 52.00
BB-HRS-SR-24	24" Hirose to single right angle Locking DC powering cable for Lectrosonics SRc and SRb receivers and SMBATELIM	\$ 42.00
BB-SDMX-06	6" Hirose to Hirose DC powering cable, for Sound Devices Scorpio, 888, 833, 688, 664, 633, MixPre 10T, 302, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML and more	\$ 46.00
BB-SDMX-06-RS	6" Hirose Right Angle to Hirose DC powering cable, for Sound Devices Scorpio, 888, 833, 688, 664, 633, MixPre 10T, 302, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML and more	\$ 52.00
BB-SDMX-18	18" Hirose to Hirose DC powering cable, for Sound Devices Scorpio, 888, 833, 688, 664, 633, MixPre 10T, 302, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML and more	\$ 48.00
BB-SDMX-18-RS	18" Hirose Right Angle to Hirose DC powering cable, for Sound Devices Scorpio, 888, 833, 688, 664, 633, MixPre 10T, 302, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML and more	\$ 52.00
BB-SDMX-18-RR	18" Hirose Right Angle to Hirose Right Angle DC powering cable, for Sound Devices Scorpio, 888, 833, 688, 664, 633, MixPre 10T, 302, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML and more	\$ 55.00
BB-HRS-LPT4-18	18" Hirose to to Low-Profile right angle TA4F, to power Sound Devices Scorpio, 888, 833, Pin-4 (+), Pin-1 (-)	\$ 48.00
BB-HRS-T4-18	18" Hirose to to straight TA4F, to power Sound Devices Scorpio, 888, 833, Pin-4 (+), Pin-1 (-)	\$ 48.00
BB-ZAX-24	24" Hirose to Right Angle coaxial locking (761K), for Zaxcom Receivers - Stereoline, RX900, QRX, Mic Plexer	\$ 45.00
BB-ZAXTX-24	24" Hirose to Right Angle coaxial locking (760K), for Zaxcom Transmitters - IFB100/200, STA100/150/042	\$ 45.00
BB-CSMX-12	12" Hirose to XLR-4F for Cedar DNS-2, Zaxcom Fusion & Deva, AJA Ki-PRO, Cooper CS104, Fostex PD-4 & PD-6	\$ 55.00
BB-LPHX4F-08	8" Hirose to LPXLR-4F Low-Profile DC powering cable, for Cedar DNS-2, Zaxcom Fusion/Deva, AJA Ki-PRO etc.	\$ 55.00
BB-LPHX4F-18	18" Hirose to LPXLR-4F Low-Profile DC powering cable, for Cedar DNS-2, Zaxcom Fusion/Deva, AJA Ki-PRO etc.	\$ 55.00
CT-X4M-T4-18	18" Straight XLR-4M to TA4F DC powering cable, for Sound Devices Scorpio, 888, 833	\$ 48.00
CT-X4M-LPX4F-18	18" Straight XLR-4M to Low-Profile XLR-4F DC power cable for Cedar DNS-2, Zaxcom Fusion & Deva, AJA Ki-PRO, Cooper CS104, Sound Devices MD-4 and others	\$ 55.00
CT-BDS-LEC	24" DC power cable compatible with BDS/Powerstar Mini, Right Angle coaxial locking to RA coaxial to power a single Lectro UCR receiver	\$ 36.00
CT-BDS-SR	24" DC power cable compatible with BDS/Powerstar Mini/MD-6u, Right Angle coaxial locking to RA coaxial to power Lectro SR receiver	\$ 36.00
CT-BDS-LPT4	24" DC power cable compatible with BDS, Powerstar Mini or MD-6u, Right Angle coaxial locking to Low-Profile right angle TA4F, to power Sound Devices Scorpio, 888, 833, *Not for use while battery charging	\$ 36.00
CT-BDS-T4	24" DC power cable compatible with BDS, Powerstar Mini or MD-6u, Right Angle coaxial locking to straight TA4F, to power Sound Devices Scorpio, 888, 833, *Not for use while battery charging	\$ 36.00
CT-BDS-ZAX	24" DC power cable compatible with BDS/Powerstar Mini/MD-6u, Right Angle coaxial locking to Right Angle coaxial locking (761K), for Zaxcom Receivers - Stereoline, RX900, QRX, Mic Plexer,	\$ 36.00
CT-BDS-ZAXTX	24" DC power cable compatible with BDS, Powerstar Mini or MD-6u, Right Angle coaxial locking to Right Angle coaxial locking (760K), for Zaxcom Transmitters - IFB100/200, STA100/150/042	\$ 36.00


* 14 mm barrel length, 5.5 mm barrel diameter, 2.1 mm internal diameter

DC POWERING CABLES & INPUT ADAPTORS

HIGH-QUALITY INTERCONNECTS



Code	Item	Price
	NP-1 Battery Adaptors, SMART Battery Adaptors and DC Power Cables to Battery Bud Input	
BB-NP	NP-1 power adaptor cap to Hirose 4-pin for NP-1 style rechargeable battery into the Battery Bud, 15" cable	\$ 68.00
BB-NP-RA	NP-1 power adaptor cap to Right Angle Hirose 4-pin to input NP-1 battery into compatible gear with Hirose 4-pin DC input, 15" cable	\$ 68.00
BB-NP-PT	NP-1 power adaptor cap to Pigtail Leads (No Connector), 15" cable	\$ 48.00
BB-NP-LPT4	Standard NP-1 power adaptor cap to Low-Profile right angle TA4F 4-pin Female to power gear with TA4M DC socket e.g. Sound Devices Scorpio, 888, 833, Pin-4 (+), Pin-1 (-), 15" cable	\$ 68.00
BB-NP-T4	Standard NP-1 power adaptor cap to TA4F 4-pin Female to power gear with TA4M DC socket e.g. Sound Devices Scorpio, 888, 833, Pin-4 (+), Pin-1 (-), 15" cable	\$ 68.00
BB-NP-X4	NP-1 power adaptor cap to XLR 4-pin Female to power gear with XLR 4-pin DC, 15" cable	\$ 68.00
BB-NP-LPX4	NP-1 power adaptor cap to Low-Profile XLR 4-pin Female to power gear with XLR 4-pin, 15" cable	\$ 68.00
BB-SMARTCAP-H4	Smart Battery Adaptor cap to Hirose 4-pin, to input Smart Battery (Inspired Energy, Audio Root, Remote Audio Hi-Q) into Battery Bud Hirose 4-pin DC input, 24" (DC only, battery telemetry NOT transmitted)	\$ 68.00
CT-SMARTCAP-PT4L	Smart Battery Adaptor cap to (4) Pigtail Leads (No Connector), for use with Smart Battery (Inspired Energy, Audioroot, Sound Devices, Remote Audio Hi-Q) DC + Communication, 24" 20AWG cable to (2) DC pigtail leads plus (2) Communication leads	\$ 55.00
BB-SMARTCAP-PT	Smart Battery Adaptor cap to Pigtail Leads (No Connector), for use with Smart Battery (Inspired Energy, Audio Root, Remote Audio Hi-Q), 24" (for DC only, battery telemetry NOT transmitted)	\$ 50.00
BB-SMARTCAP-X4	Smart Battery Adaptor cap to XLR-4F, for use with Smart Battery (Inspired Energy, Audio Root, Remote Audio Hi-Q) to compatible XLR 4-pin DC input, 24" (DC only, battery telemetry NOT transmitted)	\$ 68.00
BB-LPX4M-18	18" LPXLR-4M Low-Profile Male to Hirose DC cable, for (For 12-18 VDC Input to Battery Bud)	\$ 55.00
BB-NXL4M-12	12" 4-pin XLR-Male to Hirose, (For 12-18 VDC Input to Battery Bud or Hirose 4 equipped gear)	\$ 51.00
BB-HA4M-6	6" Adaptor, 4-pin XLR-Male to Hirose, (For 12-18 VDC Input to Battery Bud or Hirose 4 equipped gear)	\$ 51.00
	D-TAP Cables	
CT-DTAPM-H4-15	15" D-Tap (Powertap) Male to Hirose 4-pin Male DC powering cable, for camera mounted gear, e.g. Ambient Master Lockit	\$ 55.00
CT-DTAPM-SR-15	15" D-Tap (Powertap) Male to Right Angle Locking Coaxial DC powering cable, for camera mounted Lectrosonics SR receiver	\$ 55.00
CT-DTAPM-U-15	15" D-Tap (Powertap) Male to Right Angle Coaxial DC powering cable, for camera mounted Lectrosonics UCR receiver	\$ 55.00
CT-DTAPM-UY-15	15" D-Tap (Powertap) Male to Right Angle Coaxial DC powering Y cable, for (2) camera mounted Lectrosonics UCR receivers	\$ 65.00
CT-DTAPM-LP4-15	15" D-Tap (Powertap) Male to Low-Profile XLR-4F Female DC powering cable, for camera mounted gear with XLR-4	\$ 65.00



Cue3 PASSIVE VOLUME CONTROL & LINE TESTER



A handy little box that lets you monitor +4dB line level signals with an earpiece or headphones. The Cue3 is Ideal for IFB listening and LINE testing. It is a Passive device - no batteries are required. The Cue3 will control earpiece or headphone volume for live remotes and phone interviews. IFB situations may be simplified by using the Cue3 instead of battery powered amplifiers. A +4dBm mono line or active headphone output will easily drive an earpiece or for example, Sony MDR-7506 headphones through this passive attenuator.

The Cue3 is small, easy to operate and extremely reliable. You'll find the Cue3 anywhere talent or production people need to control their audio. The use of wireless receivers can be improved too, especially units with no headphone output. Works as a compact & easy to use LINE tester on location for various audio feeds.

**Available as Cue3 only or a bundle set with the popular Voice Technologies VT610TC125 mono earphone.*



Features & Specifications:

- No power required - Passive design
- LINE Level Input, XLR-3M, Unbalanced
- 1/8" (3.5mm) TS mono mini jack for single earphone
- 1/4" TRS Jack for headphones (mono to both ears)
- 1/4" mono jack for single earphone
- Dimensions: 4" x 1 1/2" x 1"
- Weight: only 4.6 oz (130g)

Code	Item	Price
Cue3	Passive Volume Control, for earpieces & headphones, LINE Level input, Unbalanced, Outs: 1/8" T/S, 1/4" T/S, 1/4" TRS [mono to both ears], for hardwired IFB, playback listening and LINE checking	\$ 99.95
CT-CUE3-SET1	Set includes: Cue3 Passive Volume Control and Voice Technologies VT610TC125 Mono Earphone	\$ 149.00
CT-C3QSTM-10	10' Stereo Headphone 1/4" TRS Out RA (Combined to Mono) to XLR-3 Male, Unbalanced, for Stereo Headphone feeds to Cue3	\$ 45.00
CT-C335STM-10	10' Stereo Headphone 3.5mm TRS RA Out (Combined to Mono to XLR-3 Male, Unbalanced, for Stereo Headphone feeds to Cue3	\$ 45.00

STAGE & STUDIO LOW-PROFILE MICROPHONE CABLES

MADE WITH GENUINE MOGAMI® NEGLEX W2549 CABLE

STAGE & STUDIO LOW-PROFILE PREMIUM MICROPHONE CABLES - Premium Low-Profile microphone cables designed for the Stage or Studio assembled in the U.S.A. using the highest quality components. Features our Low-Profile XLR connectors, genuine Mogami® cable and Neutrik® XX Series straight XLR connectors. Available in 3 different connector versions with W2549 Neglex cable in common lengths. [You can adjust the Low-Profile XLR cable outlets orientation to fine-tune to your exact needs with a 120° swing.](#) Reduce the load: Our Low-Profile cables can be up to 40% lighter than standard XLR cables while significantly reducing the profile of microphones and interconnect panels. Includes Cable Techniques *Rip-Tie* Velcro cable wrap.

FEATURES: Color coded with choice of 10 colors for easy identification - You can set the right angle outlet orientation within a 120° range to fine-tune your cable direction on mixer desks and racks - Low-Profile right angle design reduces cable stress at connector exits - Smaller, lighter and less obtrusive than standard right angle XLR connectors



Code	Item
	Stage & Studio Low-Profile Right Angle XLR-3 Female to Straight XLR-3 Male Premium Microphone Cable Handmade with Mogami W2549 High Quality Balanced Microphone Cable
	Available in multiple lengths: 3', 6', 10', 15', 25', 50'
	Prices Starting at \$39.95 up to \$99.95
CT-SSX-RS-_K	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, Black Cap/Ring
CT-SSX-RS-_R	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, Red Cap/Ring
CT-SSX-RS-_B	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, Blue Cap/Ring
CT-SSX-RS-_G	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, Green Cap/Ring
CT-SSX-RS-_Y	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, Yellow Cap/Ring
CT-SSX-RS-_N	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, Orange Cap/Ring
CT-SSX-RS-_W	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, White Cap/Ring
CT-SSX-RS-_A	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, Gray Cap/Ring
CT-SSX-RS-_P	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, Purple Cap/Ring
CT-SSX-RS-_S	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2549 Neglex cable, Brown Cap/Ring

STAGE & STUDIO LOW-PROFILE MICROPHONE CABLES

MADE WITH GENUINE MOGAMI® NEGLEX W2549 CABLE



Code	Item
	Stage & Studio Low-Profile Right Angle XLR-3 Female to Low-Profile Right Angle XLR-3 Male Premium Microphone Cable Handmade with Mogami W2549 High Quality Balanced Microphone Cable
	Available in multiple lengths: 3', 6', 10', 15', 25', 50'
	Prices Starting at \$39.95 up to \$99.95
CT-SSX-RR-_K	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Black Cap/Ring
CT-SSX-RR-_R	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Mogami W2549 Neglex cable, Red Cap/Ring
CT-SSX-RR-_B	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Blue Cap/Ring
CT-SSX-RR-_G	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Green Cap/Ring
CT-SSX-RR-_Y	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Yellow Cap/Ring
CT-SSX-RR-_N	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Orange Cap/Ring
CT-SSX-RR-_W	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, White Cap/Ring
CT-SSX-RR-_A	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Gray Cap/Ring
CT-SSX-RR-_P	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Purple Cap/Ring
CT-SSX-RR-_S	Stage & Studio Premium microphone cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Brown Cap/Ring

STAGE & STUDIO LOW-PROFILE MICROPHONE CABLES

MADE WITH GENUINE MOGAMI® NEGLEX W2549 CABLE



Code	Item
	Stage & Studio Straight XLR-3 Female to Low-Profile Right Angle XLR-3 Male Premium Microphone Cable Handmade with Mogami W2549 High Quality Balanced Microphone Cable
	Available in multiple lengths: 3', 6', 10', 15', 25', 50'
	Prices Starting at \$39.95 up to \$99.95
CT-SSX-SR-_K	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Black Cap/Ring
CT-SSX-SR-_R	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Red Cap/Ring
CT-SSX-SR-_B	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Blue Cap/Ring
CT-SSX-SR-_G	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Green Cap/Ring
CT-SSX-SR-_Y	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Yellow Cap/Ring
CT-SSX-SR-_N	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Orange Cap/Ring
CT-SSX-SR-_W	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, White Cap/Ring
CT-SSX-SR-_A	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Gray Cap/Ring
CT-SSX-SR-_P	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Purple Cap/Ring
CT-SSX-SR-_S	Stage & Studio Premium microphone cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2549 Neglex cable, Brown Cap/Ring

STAGE & STUDIO LOW-PROFILE QUAD XLR INTERCONNECT CABLES

MADE WITH GENUINE MOGAMI® NEGLEX W2893 MINI QUAD CABLE

STAGE & STUDIO LOW-PROFILE PREMIUM QUAD INTERCONNECT CABLES - Premium Low-Profile QUAD cables designed for the Stage or Studio assembled in the U.S.A. using the highest quality components. **Ideal for Microphones, Rack panels and mixer/recorder interconnects.** Features our Low-Profile XLR connectors, genuine Mogami® cable and Neutrik® XX Series straight XLR connectors. Available in 3 different versions versions with W2893 Miniature QUAD High Definition Neglex cable in common lengths. **You can adjust the Low-Profile XLR cable outlets orientation to fine-tune to your exact needs with a 120° swing.** Reduce the load: Our Low-Profile cables can be up to 40% lighter than standard XLR cables while significantly reducing the profile of microphones and interconnect panels. Includes Cable Techniques *Rip-Tie* Velcro cable wrap.



Code	Item
	Stage & Studio Low-Profile Right Angle XLR-3 Female to Straight XLR-3 Male Premium QUAD Cable Handmade with Mogami W2893 High Definition QUAD Cable. Ideal for Microphones, Rack panels and mixer/recorder interconnects
	Available in multiple lengths: 3', 6', 10', 15', 25'
	Prices Starting at \$39.95 up to \$99.95
CT-SSXQ-RS-_K	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Black Cap/Ring
CT-SSXQ-RS-_R	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Red Cap/Ring
CT-SSXQ-RS-_B	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Blue Cap/Ring
CT-SSXQ-RS-_G	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Green Cap/Ring
CT-SSXQ-RS-_Y	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Yellow Cap/Ring
CT-SSXQ-RS-_N	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Orange Cap/Ring
CT-SSXQ-RS-_W	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, White Cap/Ring
CT-SSXQ-RS-_A	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Gray Cap/Ring
CT-SSXQ-RS-_P	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Purple Cap/Ring
CT-SSXQ-RS-_S	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Straight XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Brown Cap/Ring
	Stage & Studio Low-Profile Right Angle XLR-3 Female to Low-Profile Right Angle XLR-3 Male Premium QUAD Cable Handmade with Mogami W2893 High Definition QUAD Cable. Ideal for Microphones, Rack panels and mixer/recorder interconnects
CT-SSXQ-RR-_K	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Black Caps
	Continued on next page

STAGE & STUDIO LOW-PROFILE QUAD XLR INTERCONNECT CABLES

MADE WITH GENUINE MOGAMI® NEGLEX W2893 MINI QUAD CABLE

Code	Item
CT-SSXQ-RR-_R	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Red Caps
CT-SSXQ-RR-_B	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Blue Caps
CT-SSXQ-RR-_G	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Green Caps
CT-SSXQ-RR-_Y	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Yellow Caps
CT-SSXQ-RR-_N	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Orange Caps
CT-SSXQ-RR-_W	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, White Caps
CT-SSXQ-RR-_A	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Gray Caps
CT-SSXQ-RR-_P	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Purple Caps
CT-SSXQ-RR-_S	Stage & Studio Premium XLR Interconnect QUAD cable, Features Low-Profile right angle XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Brown Caps
	Stage & Studio Straight XLR-3 Female to Low-Profile Right Angle XLR-3 Male Premium QUAD Cable Handmade with Mogami W2893 High Definition QUAD Cable. Ideal for Microphones, Rack panels and mixer/recorder interconnects
CT-SSXQ-SR-_K	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Black Cap/Ring
CT-SSXQ-SR-_R	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Red Cap/Ring
CT-SSXQ-SR-_B	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Blue Cap/Ring
CT-SSXQ-SR-_G	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Green Cap/Ring
CT-SSXQ-SR-_Y	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Yellow Cap/Ring
CT-SSXQ-SR-_N	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Orange Cap/Ring
CT-SSXQ-SR-_W	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, White Cap/Ring
CT-SSXQ-SR-_A	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Gray Cap/Ring
CT-SSXQ-SR-_P	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Purple Cap/Ring
CT-SSXQ-SR-_S	Stage & Studio Premium XLR Interconnect QUAD cable, Features Straight XLR-3F Female to Low-Profile right angle XLR-3M Male Connector, Mogami W2893 High Definition Miniature QUAD Neglex cable, Brown Cap/Ring



Cable Techniques products are distributed worldwide by:

Redding Audio, LLC 101 N Plains Industrial Road Building 4 Wallingford, CT 06492
Phone: (203) 269.1808 sales@reddingaudio.com

For Complete Product Details and Dealer Finder go to: cabletechniques.com

Product design, contents and pricing subject to change without notice

Lectrosonics is a registered trademark of Lectrosonics Inc. Sound Devices is registered trademark of Sound Devices, LLC.
Other product and company names mentioned herein may be the trademarks of their respective owners.